

# **Fatal Fires**

Links between emollients, hospital discharge and reduced mobility

Vikki Thomas
Safe and Well Manager





- 1. Background
- 2. Risk Factors
- 3. 7 Minute Learning Tool
- 4. Further Information and Guidance
- 5. Do you know a CHARLIE?
- 6. Safe and Well Checks




# Background

Hundreds of fire deaths may be linked to skin creams, senior firefighter warns

Numerous fatalities have been attributed to paraffin-based products, said Chris Bell, a watch commander with West Yorl Fire and Rescue Service

Josh Gabbatiss Science Correspondent | @josh\_gabbatiss | Sunday 11 February 2018 15:15 | 4 shares |



Chris Bell, a watch commander with West Yorkshire Fire and Rescue Service, said creams containing paraffin can be a fire hazard, particularly when they soak into fabrics.



https://www.cqc.org.uk/guidance-providers/learning-safety-incidents/issue-3-fire-risk-use-emollient-creams

The unsafe use of emollient creams can result in serious or fatal injuries from fire.

When supporting people to use emollient creams, it is important to be aware of the risks. You might use emollient creams to help manage dry skin conditions such as eczema or psoriasis.

If people using a paraffin-based emollient product cover it with a dressing or clothing, there's a danger that smoking or using a naked flame could cause these dressings or clothing to catch fire. There may also be reactions between emollients and fibres of dressings, clothing and items such as towels when used to carry out personal care.

#### Issues notified to CQC

In May 2018, CQC was notified of a fire at a care home in Lancashire. Nine residents were evacuated and there were no injuries to staff or residents. The fire started in the laundry room after emollient creams reacted with cotton towels. The fire authority issued an enforcement notice requiring the provider to make sure:

- · all emollients are stored securely
- · risk assessments are updated to reflect the use and storage of emollients

Skin creams containing paraffin have been linked to dozens of fire deaths across England, the BBC has learned.

The products for conditions like eczema and psoriasis can leave people at risk of setting themselves ablaze.

If people use the creams regularly but do not often change clothes or bedding, paraffin residue can soak into the fabric, making it flammable.

The medicines regulator has updated its guidance and says all creams containing paraffin should carry a warning.

Despite warnings going back more than 10 years, BBC Radio 5 live Investigates has discovered there have been 37 deaths in England since 2010 linked to the creams.









## **N**EWS

EXCLUSIVE NEWS TODAY

Alarm over skin creams linked to 15 fire deaths: Warning treatments containing paraffin or petroleum can make bedsheets and clothing Flammable

- 15 deaths over 3 years in London have been linked to flammable creams
- . Ointments impregnate clothing or sheets then act as a wick when ignited
- Fire Service warn washing clothes, even at high temperature, does not fix issue



# REWS

WEATHER + LOCAL + BUSINESS + SPORT

Bedridden great-grandmother died in fire started by dropped cigarette and paraffin based cream

Arthritis sufferer Pauline Taylor, 74 dropped a lit cigarette or match on her bed





#### 1. Background

Protection from fire and prevention of future deaths

The Fire Safety Order 2005 requires the identification of residents at risk as part of the fire safety risk assessment for the premises, this would include taking appropriate action to remove or reduce the risk.

## 2. Why it matters

A personal risk assessment for each resident is critical to their own safety and that of other reside staff. This will assess the needs of the resident in conjunction with care workers and family. It will consider their habits, their physical and mental capacity and their environment.

The risk assessment should be recorded and considered as part of their care plan, other assessments and personal evacuation plans, and kept under review.

## Questions to consider

- · Is the resident a smoker?
- Are emollients being applied?
- Does this product contain paraffin?
- Is the resident's mobility reduced?

If yes, share the risks with the resident, their GP, nurse practitioner and family members.

ACT; consider an alternative product

## 1 2

Emollients

6 Smoking 4

#### 3. Information

Consider the risk posed by residents smoking on your premises. This follows inquests into the deaths from burn injuries of high-risk client smokers with mobility problems as a result of matches or cigarettes dropping on to clothing or bedding.

#### 6. What to do

This increased risk of fire posed by smoking whilst using flammable emollient creams is so significant that it must be avoided.

Fire retardant covers, bedding or clothing for smokers must always be provided. There must be sufficient numbers of these items to allow regular laundering at the correct temperature. This is the responsibility of the resident, the care provider, the care home or housing management provider and family members.

5.

The use of emollient creams must be considered in your fire risk assessment to ensure that all reasonably practicable steps are taken to reduce the risk of a fire and its likelihood of occurring.

Emollient creams are used to treat dry skin conditions. Certain creams can be highly flammable (e.g. those that are paraffin based) and pose a significant risk in the event of a fire. The fire risk posed by the use of such emollient creams is significantly increased when the resident is smoking. The resident's bedding and clothing can also become impregnated with cream, increasing flammability and the risk to the resident.

Adapted from the Lancashire Safeguarding Adults Board and Lancashire Fire and Rescue Service information



# **Further Information**


https://www.dwfire.org.uk/safety/advice-for-carers/



Person Centred
Risk Assessment







Care and support needs
Hoarding and mental
health issues
Alcohol and medication
Reduced mobility
Lives alone
Inappropriate smoking
Elderly – 65+

## Recognise anyone?

If you know someone who displays one or more of these characteristics, get in touch, as statistics show they may be at more risk of fire. Visit: dwfire.org.uk/safe-and-well-visits Call: 0800 038 2323 email: safeandwell@dwfire.org.uk





FREEPHONE 0800 038 2323

safeandwell@ dwfire.org.uk

www.dwfire.org. uk\safety/safeand-well-visits

#### Think...

...if a fire occurred in your home, could you escape easily?

If you answered **no** to either of these questions about yourself or someone you know, the advice in this leaflet could save your life and the lives of others... ...and could you raise the alarm and call us?

#### Be prepared

We're offering you free safe and well advice, tailored to your needs and lifestyle choices.

You may also be entitled to a free safe & well visit. This will help to reduce the risk of fire in your home and to keep you safe and well.

We will provide free of charge:

- Custom-made information
- Install new and check existing smoke alarms.
- Advice on where to get help if needed

Introducing



visits in your community





# Questions?

Thank you

