



<b>GCC M&amp;W reference:</b>	<b>PR2021/0172/1/NDP</b>
<b>Alternative reference:</b>	Yetminster & Ryme Intrinsic Neighbourhood Plan Consultation
<b>Response date:</b>	2 <sup>nd</sup> September 2021
<b>To:</b>	Community Planning Team   Dorset Council
<b>Responding GCC M&amp;W Officer</b>	Robin Drake

### Summary of recommendation:

<b>No comments / observations</b>	<input checked="" type="checkbox"/>
<b>Comments / advice offered without a recommendation</b> (see comments section)	<input type="checkbox"/>
<b>Further information is required</b> (see comments section)	<input type="checkbox"/>
<b>No objection subject to conditions / informatives</b> ( see comments and conditions section)	<input type="checkbox"/>
<b>Refusal or objection if details remain unchanged</b> (see comments section)	<input type="checkbox"/>

### Response by topic: (more than one topic can be selected)

<b>Non-minerals and / or waste development proposal</b> (M&W Infrastructure safeguarding)	<input type="checkbox"/>
<b>Non-minerals and / or waste development proposal</b> (Mineral resource safeguarding)	<input type="checkbox"/>
<b>Non-minerals and / or waste development proposal</b> (Waste Minimisation Statement)	<input type="checkbox"/>
<b>Minerals and / or waste development proposal</b>	<input type="checkbox"/>
<b>Specific local development plan document consultation</b> (DPDs, SPDs, AAPs, NDPs, SCIs)	<input checked="" type="checkbox"/>
<b>Duty to Cooperate-related consultation</b>	<input type="checkbox"/>
<b>Non-DPD policy-related document consultation</b> (including LAAs)	<input type="checkbox"/>



## Minerals and Waste Policy officer comments

All of the details set out within this section are made by officers of Gloucestershire County Council in its capacity as the Mineral and Waste Planning Authority (MWPA): -

M&W policy officers have no comments to make regarding this consultation.

### **Important Note:**

If you have any further queries with this consultation response please **do not** contact the responding GCC M&W officer direct. All queries must arrive through [REDACTED]