For office use only	
Batch number:	Received:
Representor ID #	Ack:
Representation #	



NORTH DORSET LOCAL PLAN REVIEW Issues and Options Consultation 27 November 2017 to 22 January 2018

Response Form

As part of the Local Plan Review (LPR), North Dorset District Council has prepared an Issues and Options Document for consultation. The Issues and Options Document, the Sustainability Appraisal and associated documents can be viewed online via:

https://www.dorsetforyou.gov.uk/planning/north-dorset/planning-policy

Please return completed forms to:

Email: planningpolicy@north-dorset.gov.uk

Post: Planning Policy (North Dorset), South Walks House, South Walks Road, Dorchester, DT1 1UZ

Deadline: 5pm on 22 January 2018. Representations received after this time may not be accepted.

Part A - Personal details

This part of the form must be completed by all people making representations as **anonymous comments cannot be accepted.** By submitting this response form you consent to your information being disclosed to third parties for this purpose. Personal details will not be visible on our website, although they will be shown on paper copies that will be available for inspection by members of the public and other interested parties.

*If an agent is appointed, please complete only the Title, Name, Job Title and Organisation boxes in the personal details but complete the full contact details of the agent including email address. All correspondence will be sent to the agent.

	Personal Details*	Agent's Details (if applicable)*
Title	MRS	
First Name	BUZABETH	
Last Name	IEWER	
Job Title <i>(where</i>		
Organisation (where relevant)		
Address		
Postcode		
Tel. No.		
Email Address		



Part B - Representations

Please answer as many questions or as few questions as you wish. There is a box at the end of the form where you can provide any comments that you may have.

н	O	usi	n	ď

1.	Do you consider that a housing need figure of 366 dwellings a year is an appropriate figure on which to plan for housing growth in North Dorset? If not, please set out what you consider to be an appropriate figure and provide reasons for this.
	Yes
	_/
	No 🗗
	If you have answered 'No' please set out an alternative housing figure and provide reasoning to support your answer. There has been such a lot of expansion over the last 10 years in shaftesbury that further
	over the last 10 years in shaftesbury that firether
	expansion will stretch infrastructure too far, and is impossible because of the geography.
	and is impossible because of it a constraint
	caret is infastire pecialise of the geographics.
	<u>Employment</u>
2.	Do you consider that additional employment land should be allocated for development at Blandford as part of the Local Plan Review?
	Yes
	No 🗆
_	
3.	Do you consider that there is a need to allocate additional employment land in any other part(s) of the District?
	Yes
	No □
	Spatial Strategy
4.	Do you consider that the existing spatial strategy, as set out in LPP1, should be amended to allow for some limited growth at Stalbridge, beyond just meeting local needs?
	Yes
	No 🗆
5.	Do you think that the Council should consider implementing any other alternative spatial strategy through the LPR? If so, please explain your reasons why.
	Yes 🗆
	No 🗆
	- -

If you have answered 'Yes' please set out what you see as the further issues.
11 M/het and the additional infrastructure requirements that are likely to requit from notantial future
11. What are the additional infrastructure requirements that are likely to result from potential future development at Gillingham?
development at oningnam:
Please set out what you see as the additional infrastructure requirements.
Theuse set out what you see as the additional myrastractare requirements.
/
Shaftesbury
12. Do you agree with the conclusions regarding the areas of search identified at Shaftesbury?
Yes
No D
13. Are there any further issues relating to the areas of search that you think should have been
considered as part of the assessment process?
Yes .
No 🗆
If you have answered 'Yes' please set out what you see as the further issues.
The southern slopes of Shaftesbury are protected and they need to stay that way
protected and that wood to don't be Fire
protected and may reed to stay much wary
14. What are the additional infrastructure requirements that are likely to result from potential future development at Shaftesbury?
development at shartesbury:
Places set out what you see as the additional infrastructure requirements
Please set out what you see as the additional infrastructure requirements.
We need @ a bypass (2) were health provision
3 more parking 4 more employment land (it is unthinkable that Persimmon wants to put houses on current employment land.
A was bounded from
(it is unthurkable that levermon wants in
Put houses on current employment land.

Important Open or Wooded Areas (IOWAs)

28. Do you agree that those IOWAs, which are protected from development by other planning policies or legislation, should be deleted?
Yes
No D
The A350 Corridor
29. Do you consider that the land which is identified and safeguarded for the Shaftesbury Outer Bypass and the Charlton Marshall and Spetisbury Bypass should continue to be identified and safeguarded for such purposes?
Yes 🗖
No 🗆
Comments
If you have any comments about the Issues and Options Document or the Sustainability Appraisal please set them out in the box below. If your comments are in relation to a specific question or chapter of the Issues and Options Document then please state which question or chapter your comments relate to.
open spaces need to be donbly sak- quarded, at a time when developes
guardes, at a nive who dieverges

Open spaces need to be donby safe guarded, at a time whon developes over the truming viot over our countryside. This is equally true of the Sheytesbury bypass corridor. Housing development needs to be affordable, ideally small starter homes, to eventhe young people to get on the honsing ladder. These homes should be for local people.

	Carting and the state of the st
	Continue on a separate sheet if necessary
	and the Level Diam Deviews?
Do you wish to be contacted about future consultations relati	ing to the Local Plan Review?
Yes	
No 🗆	
	021.1.0
Signature:	Date: 22(1/18 .
If submitting the form electronically, no signature is required.	
ij subilitalily the joint electronically, no signature is required.	

When completed please send form to planningpolicy@north-dorset.gov.uk