

# 2017 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the Environment Act 1995 Local Air Quality Management

December 2017

Local Authority Officer	Coralie McGown Susan Ashford
Department	Community Protection
Address	South Walks House South Walks Road Dorchester Dorset DT1 1UZ
Telephone	01305 251010
E-mail	env.health@dorset.gov.uk
Report Reference number	WDDC ASR 2017
Date	December 2017

## **Executive Summary: Air Quality in Our Area**

## Air Quality in West Dorset District Council

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children and older people, and those with heart and lung conditions. There is also often a strong correlation with equalities issues, because areas with poor air quality are also often the less affluent areas<sup>1,2</sup>.

The annual health cost to society of the impacts of particulate matter alone in the UK is estimated to be around £16 billion<sup>3</sup>.

Air quality in West Dorset has been assessed and has been found to be broadly very good due to the predominantly rural environment. However, in certain locations - parts of Chideock, Dorchester and Bridport - air quality has been found to be close to, or exceeding the objective level for nitrogen dioxide (NO<sub>2</sub>), the main source of pollution being from road traffic. This is due to vehicle emissions and other factors including type and number of vehicles; their speed; congestion and local topographical circumstances. As a result of this, an Air Quality Management Area, (AQMA), was declared in Chideock in 2007 and High East Street, Dorchester in 2009.

## **Conclusions and Priorities**

Monitoring results for 2016 continue to exceed the annual objective for nitrogen dioxide in East Road, Bridport and Main Street, Chideock. There are no other exceedences of the air quality objectives in any other area of West Dorset.

Areas that exceed the annual objective for nitrogen dioxide in Chideock are already within an Air Quality Management Area and an action plan is in place to improve air quality to comply with the objective.

There is no AQMA in Bridport. Following a Detailed Assessment of nitrogen dioxide in Bridport in 2011, the Council resolved not to declare an AQMA but continue monitoring to check future levels of NO<sub>2</sub> here. There are no plans to review this decision at present.

LAQM Annual Status Report 2017

<sup>&</sup>lt;sup>1</sup> Environmental equity, air quality, socioeconomic status and respiratory health, 2010

<sup>&</sup>lt;sup>2</sup> Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

<sup>&</sup>lt;sup>3</sup> Defra. Abatement cost guidance for valuing changes in air quality, May 2013

Results for 2016 in Dorchester show the annual mean for NO<sub>2</sub> was met at all monitoring locations both within and outside of the AQMA. West Dorset District Council will continue to monitor at these locations in 2017, to establish if there is a downward trend that may indicate revoking the AQMA sometime in the next 2-3 years.

Further information about air quality in West Dorset is available at: https://www.dorsetforyou.gov.uk/airquality/west

West Dorset District Council are working proactively with Development Control and local businesses by way of the permitting regime and Dorset County Council to ensure that air quality is continually reviewed. In addition, West Dorset District Council are involved with plans for a pan-Dorset PM<sub>2.5</sub> project with Dorset Public Health.

## Local Engagement and How to get Involved

Dorset For You website <a href="https://www.dorsetforyou.com/409048">https://www.dorsetforyou.com/409048</a> includes measures the public can actively use to improve air quality within the area, these include matters such as interactive cycle maps, adult cycle training and walking routes and trails.

## **Table of Contents**

Executive Summary: Air Quality in Our Area	i
Air Quality in West Dorset District Council	i
Conclusions and Priorities	i
Local Engagement and How to get Involved	ii
1 Local Air Quality Management	1
2 Actions to Improve Air Quality	2
2.1 Air Quality Management Areas	2
2.2 Progress and Impact of Measures to address Air Quality in West D	orset District
Council	4
Local Transport Plans and Strategies	21
Local Transport Plan 3 2011 – 2026	21
Climate change strategies	21
West Dorset District Council Carbon Management Plan (CMP)	22
Nottingham Declaration	22
Planning Applications	22
Air Quality Planning Policies	22
2.3 PM <sub>2.5</sub> – Local Authority Approach to Reducing Emissions and/or Co	oncentrations 25
3 Air Quality Monitoring Data and Comparison with Air Quality	Objectives
and National Compliance	27
3.1 Summary of Monitoring Undertaken	27
3.1.1 Automatic Monitoring Sites	27
3.1.2 Non-Automatic Monitoring Sites	
3.2 Individual Pollutants	
3.2.1 Nitrogen Dioxide (NO <sub>2</sub> )	
Appendix A: Monitoring Results	
Appendix B: Full Monthly Diffusion Tube Results for 2016	
Appendix C: Long Term Diffusion Tube Monitoring in West Dorset	51
Appendix D: Supporting Technical Information / Air Quality Monit	
QA/QC	54
Appendix E: Map(s) of Monitoring Locations and AQMAs	58
Appendix F: Maps of AQMA Boundaries	60
Appendix G: Summary of Air Quality Objectives in England	62
Appendix H: Summary of Previous Review and Assessment	63
Glossary of Terms	66

References	67
List of Tables	
Table 2.1 – Declared Air Quality Management Areas	3
Table 2.2 – Progress on Measures to Improve Air Quality	7
Table A.1 –Details of Automatic Monitoring Site Error! E	
defined32	
Table A.2 - Details of Non-Automatic Monitoring Sites	33
Table A.3 - Annual Mean NO <sub>2</sub> Monitoring Results	39
Table A.4 - 1-Hour Mean NO <sub>2</sub> Monitoring Results	45
Table B.1 - NO <sub>2</sub> Monthly Diffusion Tube Results - 2016	46
Table D.1 - Summary of Bias Adjustment	
Table G.1 - Air Quality Results in England	62
List of Figures	
Figure A.1 – Trends in Annual Mean NO <sub>2</sub> Concentrations	42
A1.1 Chideock	
A1.2 Dorchester	43
A1.3 Bridport	44
Figure E.1 – Map of Automatic Monitoring Site	58
Figure E.2 – Maps of Non-Automatic Monitoring Sites	58

## 1 Local Air Quality Management

This report provides an overview of air quality in West Dorset District Council during 2016. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by West Dorset District Council to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England can be found in Table G.1 in Appendix G.

## 2 Actions to Improve Air Quality

## 2.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority must prepare an Air Quality Action Plan (AQAP) within 12-18 months setting out measures it intends to put in place in pursuit of compliance with the objectives.

A summary of AQMAs declared by West Dorset District Council can be found in Table 2.1. Further information related to declared or revoked AQMAs, including maps of AQMA boundaries are available online at <a href="https://www.dorsetforyou.gov.uk/airquality/west">https://www.dorsetforyou.gov.uk/airquality/west</a>.

Alternatively, see Appendix E: Map(s) of Monitoring Locations and AQMAs, which provides for a map of air quality monitoring locations in relation to the AQMA(s).

**Table 2.1 – Declared Air Quality Management Areas** 

AQMA Name	Name Declarati Qua on Obje		City / Town	One Line Description	Is air quality in the AQMA influenced by roads controlled	Level of Exc (maximum n concentrat location of expos	nonitored tion at a relevant	Action Plan (inc. date of publication)
	Si:	Objectiv es			by Highways England?	At Declaration	Now	
AQMA Chideock	Declared May 2007, Amended March 2012	NO <sub>2</sub> annual mean 40 µg/m³	Chideock	Properties along the A35 in Chideock. The AQMA was amended in 2012.	YES	45.5 µg/m <sup>3</sup> (2006 bias adjusted annual mean)	58.9 µg/m³ (2016 bias adjusted annual mean)	Chideock Air Quality Action Plan December 2008 https://www.dorsetforyou.gov.uk/media/1 50801/Air-quality-action-plan-for- Chideock/pdf/Chideock_Air_Quality_Action on_Plan_Dec_2008 - Final.pdf
AQMA Dorchester	Declared May 2009	NO <sub>2</sub> annual mean 40 µg/m <sup>3</sup>	Dorchester	Residential properties along High East Street, Dorchester.	YES	43.0 µg/m³ (2008 bias adjusted annual mean)	37.9 µg/m³ (2016 bias adjusted annual mean)	Draft Air Quality Action Plan Dorchester April 2011 https://www.dorsetforyou.gov.uk/media/1 66202/Draft-Dorchester-Air-Quality-Plan- 2011/pdf/Draft_Dorchester_Air_Quality Action_PlanApril_2011.pdf

## 2.2 Progress and Impact of Measures to address Air Quality in West Dorset District Council

Defra's appraisal of last year's ASR concluded:

The Report sets out the Annual Status Report, which forms part of the Review & Assessment process required under the Environment Act 1995 and subsequent Regulations.

West Dorset District Council has declared two air quality management areas for exceedances of the annual mean nitrogen dioxide objective. These are located in Chideock and Dorchester. There are air quality action plans in place for each of these locations.

Monitoring has shown that exceedances still exist on the Main Street in Chideock, but in Dorchester, pollutant concentrations have declined and no exceedances were recorded in 2015. Exceedances of the annual mean NO<sub>2</sub> objective have also been recorded in Bridport for the last few years; however, no air quality management area has been declared at this location.

On the basis of the evidence provided by the local authority the conclusions reached are not acceptable for all sources and pollutants. The reason for this is provided in the bullet points below.

The next step for West Dorset District Council is to submit an Annual Status Report in 2017 and address the steps outlined below.

#### Commentary

The report is well structured, and provides most of the information specified in the Guidance.

1. Table 2.2 provides measures on progress to improve air quality. It is unclear whether any progress was made in 2015 as much of the text refers to actions in previous years. In addition, a number of measures appear to be inactive. Exceedances of the annual mean NO<sub>2</sub> objective are still being recorded

in Chideock (and Bridport) and therefore a pro-active approach focusing on the hotspots needs to be taken to improve air quality in these locations.

- 2. Table A.2 (details of non-automatic monitoring sites) shows diffusion tube sites 717 and 730 in Bridport as not representing relevant exposure. However, the text on page 26 states "717 and 730 are located either side of a property that is situated approximately 2m from the A35 trunk road", which infers that these sites do in fact represent relevant exposure. This should be clarified prior to publication of the report. This comment was also made on the previous USA report.
- 3. Following on from point (1) above, it is unclear why no air quality management area has been declared at this location, as it represents a site of relevant exposure. Paragraph 1.01 of TG16 states "Where a local authority identifies areas of non-compliance with the air quality objectives set out in Table 1.1, and there is relevant public exposure, there remains a statutory need to declare the geographic extent of non-compliance as an Air Quality Management Area (AQMA) and to draw up an action plan detailing remedial measures to address the problem."
- 4. The text provided on page 22 of the report on automatic monitoring is a bit confusing. It states "West Dorset District Council has a continuous air quality monitoring station located in Main Street, Chideock..." Then in a later paragraph it states "Dorset District Council undertook automatic (continuous) monitoring at one site during 2015..." It is assumed that these are referring to the same site, but this should be made clear in the final report.
- 5. In accordance with paragraph 7.78 of TG16, the Council are encouraged to undertake distance correction calculations for all of their monitoring results that do not represent relevant exposure. This paragraph states that 'wherever possible, local authorities should ensure that monitoring locations are representative of exposure. However, where this is not possible, the NO<sub>2</sub> concentration at the nearest location relevant for exposure should be estimated, using the NO<sub>2</sub> fall-off with distance calculator available on the LAQM support website'. This applies to sites 720, 733, 734 and others.
- 6. The ASR does not make any reference to the Public Health Outcomes Framework. It is recommended that this is referred to in subsequent reports.

West Dorset District Council has taken forward a number of measures during previous years in pursuit of improving local air quality. Details are set out in Table 2.. More detail on these measures can be found in their respective Action Plans.

There has been no progress to report during 2016. West Dorset District Council would like it noted that there have been discussions with Highways England during 2017, which will be reported on in the 2018 ASR.

Table 2.2 – Progress on Measures to Improve Air Quality

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
1	Road Traffic Management To implement the Dorchester Transport & Environment Plan (DTEP)	Policy Guidance and Development Control	Regional Groups Co-ordinating programmes to develop Area wide Strategies to reduce emissions and improve air quality	DCC	May 2013 - Nov 2014	Phase 1 – Nov 2014 Phase 2 – Nov 2015.	Reduce air pollution, reduce congestion, reduce traffic noise, improve safety.	N/A	DTEP was due to commence in 2013, however due to financial constraints at County level this has now been postponed until November 2014 for the implementation of Phase 1, the phase that applies to the AQMA. Funding has been approved for Planning, Phase 1 and Phase 2. DTEP still not started, awaiting information from DCC on this matter.	Unknown	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
2	Road Traffic Management To undertake an air quality assessment of the proposed DTEP scheme	Policy Guidance and Development Control	Air Quality Planning and Policy Guidance	WDDC, DCC	2012		Quantify likely improvements on air quality.	N/A	Modelling of the scheme was undertaken by White Young Green in 2011. This showed that with the implementation of DTEP, air quality within High West Street and High East Street would reduce by 50% and 20% respectively. However further modelling will be required in 2013 to take into account of amendments in the scheme.	Completed 2013, outcome was amendments would improve NO <sub>2</sub> .	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
3	Road Traffic Management  A35 Weymouth Road Roundabout and Stinsford Roundabout improvement s. The carriageway widths will be widened to 3 lanes on both A35 approaches and to 2 lanes on the approach from Dorchester.	Traffic Management	Strategic highway improvements, Re-prioritising road space away from cars, including Access management, Selective vehicle priority, bus priority, high vehicle occupancy lane	НА	Spring 2011	2012	Reduce congestion and delay, improve the flow on the Dorchester bypass, encourage use of the bypass instead of cutting through the town, improve safety.		Completed in May 2012. The roundabout has been increased from 50m to 56m and widened to provide traffic splitter islands for entry path curvature. A new additional lane has also been provided for left turn traffic from A35 to A354 Weymouth Road. The roundabout has been increased from 50m to 56m and widened to provide traffic splitter islands for entry path curvature. A new additional lane has also been provided for left turn traffic from A35 to A354 Weymouth Road.	Completed in May 2012.	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA	Progress to Date	Estimated Completion Date	Comments
4	Road Traffic Management  To promote and expand, where feasible, the Park & Ride services and investigate the potential for a new site in Dorchester.	Alternatives to Private Vehicle Use	Bus based Park & Ride	WDDC	2012, 2013	Temp park and ride July-Sept for the Olympic period. 2014 - Permanent site proposal through the Local Plan.	Reduce traffic in the town centre.	N/A	A new Park and Ride site south of Dorchester is being proposed through the emerging local plan will be linked to DTEP. This plan will be out for consultation in Oct13, with an aim to be adopted by Feb 2014. Permanent site not been implemented yet.		
5	Road Traffic Management  To investigate the improvement of signage to encourage the use of the Dorchester bypass rather than High West/East Street	Traffic Management	UTC, Congestion management, traffic reduction	НА	2012		Reduce traffic in the town centre, reduce congestion in the High Streets, reduce pollution.	N/A	Improved signage new road scheme was undertaken with the improvements undertaken in action 3. HA have no further plans to increase road traffic signs here. However will be reviewed when DTEP is in place. Linked to DTEP.	Unknown	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
6	Reduce Vehicle Emissions Replace older bus fleets with cleaner more efficient buses.	Promoting Low Emission Transport	Company Vehicle Procurement - Prioritising uptake of low emission vehicles	DCC	Ongoing	2011 – 2026	Reduction in emissions	N/A	In March 2011 the Department for Transport awarded a £166,600 Green Bus Fund grant to the WDDC, DCC and Duchy of Cornwall partnership to purchase two electric powered buses. The two Optare Solo electric buses are currently running from Poundbury to Dorchester every 30 minutes and will produce estimated diesel fuel savings of £25000 over five years compared to two diesel-powered buses. The buses will make carbon emission savings of around 39 tons per year compared to diesel buses, producing a minimum impact on the environment. Some electric buses in place.		

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
7	Reduce Vehicle Emissions  Provision of Real Time Passenger Information on buses, at bus stops and other key locations, on the web and via text messaging along key routes, including Dorchester	Public Information	Via other mechanisms	DCC	2012	2012	Encourage better use of buses, potentially fewer car journeys, reduced CO2 emissions	N/A	This has been completed along the Dorchester/Weym outh corridor as part of the Weymouth Transport Package.	Completed 2012	
8	Reduce Vehicle Emissions  The provision of real-time car park information in Dorchester	Public Information	Via other mechanisms	DCC, WDDC	2012	2015	Reduced journey time, reduced emissions and congestion	N/A	In July 2012 the Local Sustainable Transport Fund (LSTF), awarded DCC 200K for variable messaging signage and car parking guidance in Dorchester. This will be implemented from 2013.	Completed 2012	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
9	Reduce Vehicle Emissions Ensure that air pollution from DCC's own activities is reduced	Vehicle Fleet Efficiency	Driver training and ECO driving aids	DCC	Ongoing	Ongoing	Reduced CO <sub>2</sub> emissions, potential financial savings	N/A	Expansion of the use of bio-diesel by County Council Fleet vehicles. Encouraging the uptake of clean, low carbon vehicles and fuels, including increasing the availability of low carbon fuels locally. Development of a safer driving policy for County Council staff, including fleet and lease drivers, that teaches and promotes safer eco-driving techniques.	Unknown	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA	Progress to Date	Estimated Completion Date	Comments
10	Reduce Vehicle Emissions  Ensure that air pollution from WDDC's own activities is reduced by: Continuing drive to better fuel efficiency, engine emission standards and emission controls on council owned and leased vehicles; Monitoring the implementati on of the Carbon Management Plan to reduce emissions resulting from both business travel and travel to work.	Vehicle Fleet Efficiency	Driver training and ECO driving aids	WDDC	Ongoing	Ongoing	Reduced pollution from WDDC vehicles, additional travel time	N/A	Through the CMP a car share scheme between West Dorset and Weymouth Councils has been implemented and a minibus scheme between the two councils has also been introduced. Other actions include the use of pool cars and bicycles for staff and flexible working practices.	Unknown	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
11	Reduce Vehicle Emissions Continue promoting Carsharedor set	Promoting Travel Alternatives	Other	DCC	N/A	Ongoing	Potential for reduced car ownership, reduced CO <sub>2</sub> emissions, potential financial savings for users		DCC are continuing to promote carsharedorset and currently have over 3000 members and will be integrated with TravelDorset. In July 2012 money was awarded from the LSTF to promote CSD on the Weymouth-Dorchester corridor. Roadside boards currently being renewed and a radio campaign will be undertaken.	Unknown	
12	Reduce Vehicle Emissions  To explore working with larger vehicle operators in Dorchester to explore the feasibility of improving their own emissions and minimise vehicle movements.	Promoting Low Emission Transport	Company Vehicle Procurement - Prioritising uptake of low emission vehicles	DCC, WDDC	2013	2014	Reduced traffic in the town centre, reduced CO <sub>2</sub> emissions	N/A	The Freight Strategy encompasses an overall but does not specifically target Dorchester. Due to the Olympics in 2012, work in this area was postponed. However, WDDC will be engaging with businesses that operate larger vehicles in 2013- 14. This will be explored with DCC as part of DTEP.		

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
13	Take account of Air Quality issues in tendering process (where relevant)	Policy Guidance and Development Control	Sustainable Procurement Guidance	DCC/WDDC	Ongoing	Ongoing	Protect air quality when letting contracts for goods and services	N/A	WDDC includes environmental performance in their procurement policy and practices		
14	Refer to AQMA as an issue in developing the Local Development Framework and in bringing forward Local Transport Plan improvement schemes	Policy Guidance and Development Control Traffic Management	Air Quality Planning and Policy Guidance Strategic highway improvements, Re-prioritising road space away from cars, including Access management, Selective vehicle priority, bus priority, high vehicle occupancy lane	WDDC (DC)	2012-2013	2014	Reduce the potential for increased air pollution from development	N/A	The current joint West Dorset District Council and Weymouth and Portland Borough Council Local Plan contains policies covering air quality and was adopted by the Council in October 2015. This Local Plan sets out a long term planning strategy for the area up to 2031 and includes detailed policies and site proposals for housing, employment, leisure and infrastructure. DTEP is included in the Local Plan.		
15	Ensure that the AQMA is taken into account as a material consideration in Development Control.	Policy Guidance and Development Control	Air Quality Planning and Policy Guidance	WDDC (DC)	Ongoing		Reduce the potential for increased air pollution from development	N/A	Air Quality is a material Planning consideration and is referred to in the current Local Plan.		

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
16	To continue to monitor for NO2 in High East Street and Dorchester until the annual objective has been met and the AQMA revoked.	Public Information	Other	WDDC (EH)	Ongoing	Ongoing	Provide good air quality information. Be able to target specific areas of concern	N/A	Monitoring continues and there are no plans to make any changes		
17	Road Traffic Management  Detailed modelling of HGVs going through Chideock, including various HGV reduction scenarios.	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	DCC, WDDC				N/A	Detailed air quality modelling concluded that removal the larger HGVs (A5 and A6) would reduce NO <sub>2</sub> concentrations by approx 18%		
18	Road Traffic Management  Seek to secure voluntary agreement with Freight Transport Association (FTA) to encourage HGVs from using A35.	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	НА				N/A	In 2011 the HA undertook a reliability study of using the alternative route – M3/A303. The findings have been sent to the FTA. WDDC have suggested that the Parish Council may wish to carry forward this work.		

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
19	Road Traffic Management  Questionnair e to all members of the FTA to find out who uses the A35 and what would encourage them not to use the A35	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	НА				N/A	Questionnaire sent out. 73% responded out of these use the A35 for local deliveries, cost and time were the major factors to encourage using the alternative route.	2012 completed	
20	Road Traffic Management Check routes taken by continental HGV's	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	НА				N/A	Study undertaken by WDDC showed 27% HGV traffic not local, to target this group.	2011	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
21	Road Traffic Management  Review reliability of M3 / A303 and A31 / A35 routes between Southampton and Honiton (Issues: distance, journey times, fuel costs, carbon emissions).	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	HA				N/A	Review has been completed. The results of the study concluded that:the A303 route is approximately 27 miles longer, the average journey times are very similar, ranging from 120 minutes to 127 minutes (this is an average for all vehicles). Over the 12 month period April 10 - March 11, the A303 route has been shown to be more reliable, with 82-83% of journeys 'on time', compared with 77-79% of journeys via the A31/A35. The alternative route could be approximately £20 cheaper for a freight vehicle on a return trip. Although the M3/A34/A303 is longer, the differences in the nature of the two routes mean that the M3/A34/A303 may have lower fuel consumption, which impacts upon the costs.	2013 completed	

Measure No.	Measure	EU Category	EU Classification	Lead Authority	Planning Phase	Implementation Phase	Key Performance Indicator	Target Pollution Reduction in the AQMA		Estimated Completion Date	Comments
22	Road Traffic Management  Publicity campaign to encourage HGVs from using the A35	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	НА		Ongoing		N/A	The review in Action 17 has been provided to the Road Hauliers Association (RHA) and reported in their Journal.	Ongoing	
23	Road Traffic Management  Voluntary  HGV Survey  to be  undertaken in Chideock	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	НА				N/A	Undertaken by WDDC. Identified the majority of HGV's driving through the village were local, however 27% were trans-regional.		

Dorchester

Chideock

## **Local Transport Plans and Strategies**

## Local Transport Plan 3 2011 – 2026

The Local Transport Plan 3 (LTP3) is a statutory document, which sets out a strategy for the management, maintenance and development of the County's transport system. It sets out a way forward to deliver transport needs through short, medium and long term transport solutions and how transport can improve safety and health, support the local economy, protect the environment and reduce carbon emissions and pollution. The LTP3 came into effect in April 2011 and has been produced for the whole of Bournemouth, Poole and Dorset. It covers the period from 2011 to 2026 and is based on a longer term strategy (2011 – 2026) and shorter term implementation plan(s) (3 years).

### **Travel Choice**

This is a County wide initiative to raise awareness about the impacts of travel behaviour and to encourage people to make an informed decision about journeys they make. For example Cycle West, a project to promote our area as a destination for cross channel cycle tourism, promoting cycling events and cycle routes and providing training for adults wanting to get back on their bikes. This initiative also promotes Car Share Dorset, an online tool to encourage and facilitate car sharing by matching journeys, run jointly by Dorset County Council and Bournemouth and Poole Borough Councils. More information can be found https://www.dorsetforyou.com/TravelDorset

## **Local Sustainable Transport Fund**

Dorset County Council received £2.409m in 2012 from the Department for Transport through its Local Sustainable Transport Fund to provide sustainable alternatives for people to travel in Weymouth and Dorchester for the period 2012 – 2015. https://www.dorsetforyou.com/402591

## **Climate change strategies**

WDDC launched their Climate Change Strategy in 2009. This strategy aims to help residents, businesses and other organisation to reduce their carbon emissions by

30% by 2020 from 2005 levels. This strategy can be found at <a href="https://www.dorsetforyou.com/climatechange/west">https://www.dorsetforyou.com/climatechange/west</a>

## West Dorset District Council Carbon Management Plan (CMP)

West Dorset District Council's CMP was approved in March 2010. This plan sets targets for the reduction of carbon dioxide emissions from WDDC activities and outlines the project structure enabling those targets to be achieved.

## **Nottingham Declaration**

In 2007 West Dorset District Council signed up to the Nottingham Declaration. The Nottingham Declaration is a voluntary pledge for local authorities to address the issues of climate change. It represents a high-level, broad statement of commitment for a council to make to its community. It now has over 300 councils as signatories. Under the Nottingham Declaration the council is committed to producing a strategy to reduce carbon emissions and the impact of climate change.

## **Planning Applications**

The Environmental Protection Team review all validated planning applications for their air quality impact. Relevant guidance is followed when reviewing these applications, i.e. Land-Use Planning and Development Control: Planning for Air Quality, January 2017 (EPUK and IAQM). Where there is a potential adverse impact, or the development introduces new sensitive receptors within the AQMA, an air quality impact assessment is required. Where this identifies a significant adverse impact on air quality or human health then mitigation measures are required.

## **Air Quality Planning Policies**

West Dorset District Council and Weymouth & Portland Borough Council have prepared a joint Local Plan. The adopted Local Plan forms the main basis for making decisions on planning applications. It was adopted by Weymouth & Portland Borough Council on 15 October 2015 and by West Dorset District Council on 22 October 2015.

The Local Plan sets out a long term planning strategy for the area from 2011 - 2031 and includes detailed policies and site proposals for housing, employment, leisure and infrastructure.

The Councils Policies that relate to air quality in the 2015 Local Plan are:

#### **Strategic Objective**

Provide greater opportunities to reduce car use; improve safety; ensure convenient and appropriate public transport services; and seek greater network efficiency for pedestrians, cyclists and equestrians.

#### **ENV11. THE PATTERN OF STREETS AND SPACES**

- i) Within and adjoining existing settlements, development should ensure that:
- In residential areas, or where pedestrian activity is high, the design of new vehicular routes should aim to keep traffic speed below 20mph;
- Places are designed to be clear and simple for people to find their way around, and not dominated by the road layout and parking, places are well connected throughout the site and with the surrounding area and do not unduly limit opportunities for future growth. Bus routes and bus stops, and strategic cycle and pedestrian routes, should be planned for;

#### **ENV16. AMENITY**

- i) Proposals for development should be designed to minimize their impact on the amenity and quiet enjoyment of both existing residents and future residents within the development and close to it. As such, development proposals will only be permitted provided:
- They do not generate unacceptable pollution, vibration or detrimental emissions unless it can be demonstrated that the effects on amenity and living conditions, health and the natural environment can be mitigated to the appropriate standard.

#### COM4. NEW OR IMPROVED LOCAL RECREATIONAL FACILITIES

- i) Proposals for new or improved open space or recreation facilities will be permitted provided that:
- The proposal would be well-located to be accessible to its main catchment population and would not generate significant single purpose trips by private car;

#### COM7. CREATING A SAFE AND EFFICIENT TRANSPORT NETWORK

- i) Development that generates significant movement should be located where the need to travel will be minimised and the use of sustainable transport modes including public transport, walking and cycling can be maximised.
- ii) Development should be located where the volume of traffic likely to be generated can be accommodated on the local highway network without exacerbating community severance.
- iii) Development will not be permitted where the residual cumulative impacts on the efficiency of the transport network are likely to be severe.
- v) The delivery of a strategic cycle network and improvements to the public rights of way network will be supported.

#### COM8. TRANSPORT INTERCHANGES AND COMMUNITY TRAVEL EXCHANGES

- i) Proposals which involve the improvement of the public realm around public transport interchanges will be encouraged and supported as long as there is no detriment to the function of the interchange.
- ii) Proposals for community travel exchanges in urban and rural areas will be supported, provided that:
- it can provide safe access to the public right of way network, cycle network and highway network and can accommodate and provide safe access and egress for large vehicles;
- it has space to accommodate sufficient car and cycle parking;

Consideration has been given to air quality: Where there is reason to believe that the development would give rise to a significant change in air quality (either individually or cumulatively with other planned development) the councils may ask for an air quality assessment. Particular caution will be exercised in or close to designated Air Quality Management Areas, and due regard had to any air quality action plan.

## 2.3 PM<sub>2.5</sub> – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of  $PM_{2.5}$  (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that  $PM_{2.5}$  has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

West Dorset District Council do not currently monitor for PM<sub>2.5</sub>. The closest AURN Monitoring Stations are located within Bournemouth Borough Council, approximately 48 km and, Christchurch Borough Council 54km.

Defra's national background maps have been used to identify the modelled  $PM_{2.5}$  concentrations for the calendar year 2016.

The average of Total PM<sub>2.5</sub> of all 1117 locations (centre point of 1 km x 1 km grids) was  $8.96\mu g/m^3$  (Min 7.63  $\mu g/m^3$  and Max  $11.22\mu g/m^3$ )

PM<sub>2.5</sub> concentrations are considered to be well below the EU Limit Value of 25 µg/m<sup>3</sup>.

Public Health England included a specific Health Protection Indicator within the Public Health Outcome Framework (PHOF), looking to improve the fraction of mortality attributable to particulate air pollution. To properly review the situation within Dorset, all the local authorities have collaborated with Public Health Dorset to formulate a project to monitor PM<sub>2.5</sub>.

This will look to create an air quality evidence base for the local authority areas of Dorset, Bournemouth and Poole and establish the local linkages with health outcomes. This will corroborate DEFRA modelling and the PHOF. In addition, we are looking to validate research on satellite-derived particulate measurements undertaken by Southampton University.

The project will create a pan-Dorset monitoring network with monitoring locations selected by way of a formal review of pollution, health and demographic data, within a model created by Public Health Dorset.

The monitoring methods will be by way of a number of AQMesh Pods, which will be collocated and referenced to an existing Real-Time analyser within Weymouth and Portland Borough Council. In addition, Omni Samplers will be used to collect physical

samples of particulates and then analysed to establish the speciation of particles throughout our County.

The project's partners comprise:

Public Health Dorset

Weymouth and Portland Borough Council

West Dorset District Council

North Dorset District Council

Poole Borough Council

**Bournemouth Borough Council** 

Purbeck District Council

Christchurch Borough Council

Southampton University

It is hoped that the AQMesh will be in place from around early 2018. The project will start to receive data immediately, and its initial duration anticipated to be approximately 2 years.

In addition, the Council is taking the following measures to address PM<sub>2.5</sub>:

- Inspection of processes under the LAPPC Regime.
- Liaise with Dorset County Council (the Highway Authority) with regards to improvements schemes on the road infrastructure as and when necessary
- The AQAP in place in our adjacent local authority (WDDC) looks at measures to reduce the exposure of residents within the AQMAs to NO<sub>2</sub>, however, these initiatives will have a positive effect on PM<sub>2.5</sub> levels within our local authority.
- Travel choices as detailed above.

## 3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

## 3.1 Summary of Monitoring Undertaken

#### 3.1.1 Automatic Monitoring Sites

This section sets out what monitoring has taken place and how it compares with objectives.

West Dorset District Council had a continuous air quality monitoring station located in Main Street, Chideock, next to the A35 Trunk Road, details of which are shown in Table A.1. This station contains an oxide of nitrogen monitor. Monitoring commenced in January 2010.

West Dorset District Council undertook automatic (continuous) monitoring at the above site during 2016. Table A.1 in Appendix A shows the details of the site.

The monitor was situated approximately 2m from the A35 trunk road in Main Street, Chideock. Due to location restrictions in Chideock the monitor it is not situated in the worst case location, along the steep incline, westwards towards Lyme Regis. This is due to a lack of space and limited access to utilities. The monitor is still located at a representative location regarding the distance of the monitor to the road and the distance from the road and receptors. However as this site is in an open location; the readings here represent background levels of nitrogen dioxide and are way below the annual mean objective.

A map showing the location of the monitoring site is provided in Appendix E. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix D.

#### 3.1.2 Non-Automatic Monitoring Sites

Continuous monitoring is a very expensive way of assessing air quality. The main pollutant of concern in the district is nitrogen dioxide and there is a way of monitoring this at a low cost. Passive diffusion tubes are relatively inexpensive and provide a monthly average of NO<sub>2</sub> concentrations. Because of the low cost, they allow West Dorset to monitor NO<sub>2</sub> widely across the district.

Diffusion tubes are exposed for 4/5 week periods throughout the year at each monitoring site and are deployed using a holder and rubber collar method. They are located at a variety of sites, including kerbside sites, roadside sites or background sites and placed approximately 2m above ground level and positioned at locations representative of public exposure.

The tubes are supplied and analysed by Gradko International Ltd, and the preparation method used is 50% TEA in acetone.

Monitoring is currently undertaken in three areas of West Dorset where elevated levels of nitrogen dioxide had been identified. Monitoring was discontinued in Sherborne, Lyme Regis and Abbotsbury in 2010 as there had been no exceedences of the annual objective for the past 8 years.

**Chideock** - A small village in West Dorset, dwellings are situated either side of the A35 (trunk road) going through the village with dwellings immediately adjacent to a steep incline leaving the village going west. An air quality management area for NO<sub>2</sub> has been declared along the A35 as annual average NO<sub>2</sub> concentrations here exceed the annual objective concentration; Tubes have been relocated along both sides of the trunk road in Chideock to assess the extent of the elevated levels within Chideock with a view to amending the size of the AQMA boundary to reflect previously monitored results.

**Dorchester** –The County Town of Dorset, with a population of approximately 19,000. WDDC have been monitoring nitrogen dioxide within the town centre, predominantly along the B3150 High East and High West Street where some exceedences of the AQO have been observed. Due to these exceedences an AQMA was declared on the 5th May 2009 along High East Street. It was decided to undertake further monitoring in High East Street in 2010 to assess the extent of the NO<sub>2</sub> levels, to extend the monitoring along High East and High West Street and to relocate monitoring sites to the routes predicted to be effected by the proposed Dorchester Transport & Environment Plan (DTEP) transport improvements.

**Bridport** - A market town located approximately 1km from the coast and 20km west of Dorchester. Annual average NO<sub>2</sub> concentrations adjacent to the A35 (trunk road) along East Road are monitored by WDDC and have been found to exceed the annual objective concentration at one dwelling located very close to the kerbside.

The study area in Bridport consists of the A35 along East Road on the eastern side of Bridport.

West Dorset District Council undertook non- automatic (passive) monitoring of NO<sub>2</sub> at 24 sites during 2016. Table A.2 in Appendix A shows the details of the sites.

Maps showing the location of the monitoring sites are provided in Appendix E. Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments applied (e.g. "annualisation" and/or distance correction), are included in Appendix D.

## 3.2 Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, "annualisation" and distance correction. Further details on adjustments are provided in Appendix D.

#### 3.2.1 Nitrogen Dioxide (NO<sub>2</sub>)

Table A.3 in Appendix A compares the ratified and adjusted monitored NO<sub>2</sub> annual mean concentrations for the past 5 years with the air quality objective of 40µg/m<sup>3</sup>.

For diffusion tubes, the full dataset of monthly mean values is provided in Appendix B.

Table A.4 in Appendix A compares the ratified continuous monitored  $NO_2$  hourly mean concentrations for the past 5 years with the air quality objective of  $200\mu g/m^3$ , not to be exceeded more than 18 times per year. There were no exceedences of this objective in 2016.

The two air quality objectives that ambient concentrations of NO<sub>2</sub> need to be assessed against are as follows:

- An annual mean of 40µg/m³; and
- The number of exceedences of the 1 hour mean of 200µg/m³ (18 allowable exceedences in total)

It should be noted that it is only possible to directly assess against the 1 hour objective if hourly monitoring data is available. With regards to the hourly objective regarding diffusion tubes, the approach suggested in LAQM TG(16) has been

adopted. The approach, based on empirical studies suggests that where the annual mean is less than  $60\mu g/m^3$ , exceedences of the short term objective are unlikely.

The 2016 diffusion tube monitoing results show 5 sites exceeding the annual mean objective. 3 were in designated AQMA's and 2 are not located within an AQMA and are located on East Road, Bridport. The monitoring results at all diffusion tube monitoring locations in 2016 were below  $60\mu g/m^3$  which suggests that exceedences of the hourly objective are unlikely.

#### Chideock

In 2010, further monitoring was undertaken in Chideock to further define the levels of NO<sub>2</sub> as previous monitoring was only undertaken on the South side of the village, sites 724, 725 and 726. Historical results have shown that exceedences were only found on the steep incline, South of the A35 going out of the village, West towards Lyme Regis (724 and 726). New sites are situated on the North side of the road, with the traffic here going downhill towards the centre of the village. Monitoring in 2016 did not show any exceedences in areas in Chideock other than those on the steep incline, this sites are located within the AQMA boundary.

Site 725 is located on the façade of a property that is directly on the main road with no footpath. This area is in the middle of the village with flat topography. There have been no exceedences of the objective here for over 10 years. The continuous monitor and the co-located tubes (735, 736 and 737), that are in a similar position to 725, in the middle of the village at the bottom of the hill, were below the objective in 2015.

Site 727 (Figure E.2) is located on the steep incline going out of the village. The site has exceeded the objective for 2016 but is in the AQMA boundary and further confirms the localised exceedance caused by the traffic climbing uphill within the 30mph zone.

Site 726 is located within the AQMA boundary. This site has previously exceeded the objective, although the result for 2015 show the objective was met at this site. This site exceeded the objective in 2016.

Figure A1.1 shows an overall increase in NO<sub>2</sub> levels at monitoring sites in Chideock for 2016.

#### **Dorchester**

Table A.3 shows that the annual mean objective for NO<sub>2</sub> was met at all monitoring locations in Dorchester in 2016, including monitoring sites within the AQMA. Figure A1.2 shows an overall slight increase in NO<sub>2</sub> levels at monitoring sites in Dorchester.

#### **Bridport**

Sites 717 and 730 are located either side of a property that is situated approximately 2m from the A35 trunk road. Monitoring from 2016 shows that these sites exceed the objective for NO<sub>2</sub>. This location is again on a steep incline going Eastbound out of Bridport towards Dorchester. Apart from this property, all other properties that front the road within this vicinity are approximately 10m back from the roadside. Tube 733 was located on the façade of one of these properties in 2010 and results showed that this was within the objective West Dorset District Council no longer monitor at this location.

Sites 734, 732 and 731 are located at the bottom of the hill, adjacent to relevant receptors. These sites have not shown exceedences in 2016. Therefore, evidence shows that the objective is only likely to exceed at one property. Sites 717 and 730 shows the annual mean for 2016 to be below 60ug/m³, which suggests that exceedences of the hourly objective are unlikely.

A Detailed Assessment was undertaken in 2011 and concluded that an AQMA was not to be declared here. This outcome was not accepted by DEFRA but the Council resolved to continue to monitor NO<sub>2</sub> to check levels here in the future.

Long term diffusion tube monitoring in West Dorset is provided in Appendix C.

# **Appendix A: Monitoring Results**

**Table A.1 – Details of Automatic Monitoring Sites** 

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Monitoring Technique	Distance to Relevant Exposure (m)	Distance to kerb of nearest road (m) <sup>(2)</sup>	Inlet Height (m)
Chideock	Post Office, Main Street, Chideock	Roadside	342301	92817	NO <sub>2</sub>	NO	Chemiluminescent	N/A	2	2

#### Notes:

- (1) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).
- (2) N/A if not applicable.

The location of the automatic analyser is representative of relevant exposure i.e. the distance of the inlet form the source is the same distance as the façade of residential dwellings in this area.

Table A.2 – Details of Non-Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Distance to Relevant Exposure (m) <sup>(1)</sup>	Distance to kerb of nearest road (m)	Tube collocated with a Continuous Analyser?	Height (m)
711	Dorchester High West Street	Roadside	369121	90739	NO <sub>2</sub>	N	Y - on Façade	2m	Z	2.5
712	Dorchester Trinity Street	Roadside	369171	90711	NO <sub>2</sub>	N	Y - on Façade	2m	N	2.5
713	Dorchester High East Street 2	Roadside	369484	90759	NO <sub>2</sub>	Υ	Y – on façade	2m	N	2.5
714	Dorchester High East Street 1	Roadside	369387	90742	NO <sub>2</sub>	Υ	Y – on façade	2m	N	2.5
715	Dorchester The Grove	Roadside	368907	90739	NO <sub>2</sub>	N	Y (2m)	2m	N	2.5

716	Dorchester Maumbury Road	Roadside	368948	90089	NO <sub>2</sub>	N	Y – on façade	2m	N	2.5
718	Dorchester Church Street	Roadside	369381	90698	NO <sub>2</sub>	N	Y – on façade	2m	N	2.5
719	Dorchester Bridport Road	Roadside	368815	90636	NO <sub>2</sub>	N	Y (2m)	2m	N	2.5
720	Dorchester Borough Gardens	Background	368982	90453	NO <sub>2</sub>	N	5m	N/A	N	2.5
721	Dorchester High West Street 2	Roadside	368982	90706	NO <sub>2</sub>	N	Y – on façade	3m	N	2.5
717	Bridport East Road	Roadside	347557	93023	NO <sub>2</sub>	N	Y – Representative	2m	N	2.5

LAQM Annual Status Report 2017

	1						of public exposure			
730	Bridport East Road 2	Roadside	347612	93050	NO <sub>2</sub>	N	Y – Representative of public exposure	2m	N	2.5
731	Bridport East Road	Roadside	347277	92867	NO <sub>2</sub>	N	N – 14m	4m	N	2
732	Bridport Askers Mead	Roadside	347262	92873	NO <sub>2</sub>	N	Y (2m)	2m	N	2.5
733	Dorchester Great Western Road	Roadside	369002	90275	NO <sub>2</sub>	N	Y – on façade	2m	N	2.5
734	Bridport East Road	Roadside	347489	92989	NO <sub>2</sub>	Z	Y (1.5m)	2m	N	2.5

LAQM Annual Status Report 2017

	4									
722	Chideock Main Street	Roadside	342364	92814	NO <sub>2</sub>	N	Y (2m)	1.5m	N	2
723	Chideock St Giles Church	Roadside	342151	92869	NO <sub>2</sub>	N	Y – Representative of public exposure	2m	N	2
724	Chideock Duck Street	Roadside	342190	92840	NO <sub>2</sub>	Y	Y – on façade	1m	N	2.5
725	Chideock George Inn	Kerbside	342486	92791	NO <sub>2</sub>	N	Y – Representative of public exposure	0m	N	2
726	Chideock Village	Roadside	342015	92887	NO <sub>2</sub>	Υ	Y – Representative of public	2m	N	2.5

	Hall						exposure			
727	Chideock Main Street	Roadside	341946	92908	NO <sub>2</sub>	Y	Y – on façade	1m	N	2
728	Chideock Main Street	Roadside	342025	92894	NO <sub>2</sub>	N	Y – Representative of public exposure	1.5m	N	2
735	Chideock Triplicate	Roadside	342301	92817	NO <sub>2</sub>	N	Y – Representative of public exposure	2m	Y	2
736	Chideock Triplicate	Roadside	342301	92817	NO <sub>2</sub>	N	Y – Representative of public exposure	2m	Y	2
737	Chideock	Roadside	342301	92817	NO <sub>2</sub>	N	Y – Representative	2m	Y	2

LAQM Annual Status Report 2017

738 Greenhills Roadside 341678 93040 NO2 Y 3.5m 17m N		Triplicate						of public			
738 Greenhills Roadside 341678 93040 NO2 Y 3.5m 17m N								exposure			
	738	Greenhills	Roadside	341678	93040	NO2	Y	3.5m	17m	N	2.5

#### Notes:

- (1) 0m if the monitoring site is at a location of exposure (e.g. installed on/adjacent to the façade of a residential property).
- (2) N/A if not applicable.

Table A.3 – Annual Mean NO<sub>2</sub> Monitoring Results

Site ID	Site Type	Monitoring	Valid Data Capture for	Valid Data	· · · · · · · · · · · · · · · · · · ·		ean Concentra	oncentration (μg/m³) <sup>(3)</sup>	
Site iD	Site Type	Туре	Monitoring Period (%) <sup>(1)</sup>	Capture 2016 (%) <sup>(2)</sup>	2012	2013	2014	2015	2016
Chideock	Roadside	Automatic		61.16	N/A	13.21	11.32	10.31	10.9
711	Roadside	Diffusion Tube		91.67	38.4	40.1	38.2	34.4	34.2
712	Roadside	Diffusion Tube		100	32.1	32.3	30.0	31.1	29.3
713	Roadside	Diffusion Tube		100	34.4	32.6	34.0	32.0	33.5
714	Roadside	Diffusion Tube		100	42.3	37.5	46.7	38.4	37.9
715	Roadside	Diffusion Tube		100	36.1	35.6	37.3	34.7	33.9
716	Roadside	Diffusion Tube		83.33	30.7	28.3	29.9	27.5	29.0
718	Roadside	Diffusion Tube		100	22.4	22.2	21.3	18.8	20.5
719	Roadside	Diffusion Tube		91.67	22.7	26.5	24.8	22.4	25.6
720	Background	Diffusion Tube		91.67	13.0	13.2	11.6	11.3	11.4
721	Roadside	Diffusion Tube		100	31.0	35.8	31.0	28.7	30.7
717	Roadside	Diffusion Tube		91.67	43.7	43.1	41.7	42.7	47.6

Site ID	Site Type	Monitoring Type	Valid Data Capture for Monitoring Period (%) <sup>(1)</sup>	Valid Data Capture 2016 (%) <sup>(2)</sup>	NC	$\mathcal{O}_2$ Annual Me	ean Concentr	ation (µg/m³	) <sup>(3)</sup>
730	Roadside	Diffusion Tube		100	56.6	<u>64.6</u>	58.5	53.0	51.5
731	Roadside	Diffusion Tube		100	35.2	33.0	32.5	33.2	31.5
732	Roadside	Diffusion Tube		100	31.1	35.0	37.8	35.1	34.0
733	Roadside	Diffusion Tube		100		31.9	28.9	28.0	28.2
734	Roadside	Diffusion Tube		100	32.5	34.5	32.2	32.5	32.3
722	Roadside	Diffusion Tube		100	24.3	19.5	26.8	16.8	19.7
723	Roadside	Diffusion Tube		91.67	25.1	25.8	22.9	20.8	
724	Roadside	Diffusion Tube		91.67	45.2	42.9	36.7	36.7	47.7
725	Kerbside	Diffusion Tube		100	28.5	27.2	26.2	23.1	25.5
726	Roadside	Diffusion Tube		100	49.5	45.4	41.8	39.2	47.8
727	Roadside	Diffusion Tube		100	53.3	55.3	53.0	50.0	58.9
728	Roadside	Diffusion Tube		100	27.9	29.4	25.6	23.4	27.0
738	Roadside	Diffusion Tube		91.67					20.5
735	Roadside	Diffusion		100	14.1	14.7	11.4	11.6	12.5

		Tube						
736	Roadside	Diffusion Tube	91.67	13.4	13.9	11.3	10.4	12.5
737	Roadside	Diffusion Tube	100	13.9	14.0	11.5	10.7	12.6

⊠ Diffusi	ion tube	data ha	s been b	ias correcte	d
-----------	----------	---------	----------	--------------	---

Annualisation has been conduction	cted where data capture is <75%	(N/A for diffusion tube da	ata, for Automatic monitoring	g data, see QA/QC procedures
in Appendix D)				

☐ If applicable, all data has been distance corrected for relevant exposure (N/A – see details in QA/QC procedures in Appendx D)

#### Notes:


Exceedances of the  $NO_2$  annual mean objective of  $40\mu g/m^3$  are shown in **bold**.

NO<sub>2</sub> annual means exceeding 60μg/m<sup>3</sup>, indicating a potential exceedance of the NO<sub>2</sub> 1-hour mean objective are shown in **bold and underlined**.


- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) Means for diffusion tubes have been corrected for bias. All means have been "annualised" as per Boxes 7.9 and 7.10 in LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Figure A.1 – Trends in Annual Mean NO<sub>2</sub> Concentrations

## **Figure A1.1 Chideock**



**Figure A1.2 Dorchester** 



LAQM Annual Status Report 2017

## **Figure A1.3 Bridport**




Table A.4 – 1-Hour Mean NO<sub>2</sub> Monitoring Results

Site ID	Site Type	Monitoring	Valid Data Capture for Monitoring	Valid Data	NC	O₂ 1-Hour	Means >	200µg/m³	3 (3)
Site ID	Site Type	Туре	Period (%) (1)	Capture 2016 (%) <sup>(2)</sup>	2012	2013	2014	2015	2016
Chideock	Roadside	Automatic		61.16	N/A	0	0	0	0

#### Notes:

Exceedances of the NO<sub>2</sub> 1-hour mean objective (200µg/m<sup>3</sup> not to be exceeded more than 18 times/year) are shown in **bold**.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) If the period of valid data is less than 85%, the 99.8<sup>th</sup> percentile of 1-hour means is provided in brackets.

# **Appendix B: Full Monthly Diffusion Tube Results for 2016**

Table B.1 – NO<sub>2</sub> Monthly Diffusion Tube Results - 2016

	NO <sub>2</sub> Mean Concentrations (μg/m³)														
														Annual Mea	n
Site ID	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Raw Data	Bias Adjusted (National: 1.01 and Annualised	Distance Corrected to Nearest Exposure
711 Dorch High West Street	35.8	34.0	33.56	27.8	37.1	30.8	27.7	30.4	26.4		45.9	43.5	33.9	34.2	34.2
712 Dorch Trinity Street	30.8	29.1	32.16	24.2	27.4	27.2	23.2	25.0	28.2	30.3	33.9	36.8	29.0	29.3	29.3
713 Dorch High East Street 2	39.2	30.0	30.73	28.0	31.3	32.1	28.5	32.1	35.4	32.5	35.3	43.4	33.2	33.5	33.5
714 Dorch High East Street 1	43.6	34.4	31.78	39.1	38.0	38.5	37.5	43.0	34.9	34.0	38.7	36.8	37.5	37.9	37.9
715 Dorch The Grove	34.9	28.8	28.85	27.9	31.6	35.3	32.9	36.0	39.1	33.7	35.3	37.8	33.5	33.9	33.9
716 Dorch	29.5	29.5		22.4	30.0		21.8	23.6	31.0	30.2	32.8	35.9	28.7	29.0	29.0

Maumbury Road															
733 Dorch Great Western Road	29.1	27.9	30.66	23.5	28.0	28.5	18.3	21.7	31.4	29.4	32.4	34.4	27.9	28.2	28.2
718 Dorch Church Street	21.1	20.6	21.65	17.3	19.4	19.6	12.2	15.4	14.7	24.2	26.4	30.5	20.3	20.5	20.5
719 Dorch Bridport Road	23.7	25.4	28.93	20.3		21.4	15.8	18.3	25.3	33.3	31.9	34.5	25.3	25.6	25.6
720 Dorch Borough Gardens	13.3	13.0	10.88	8.6	9.8	8.2	7.6	8.0	11.3	13.0		20.1	11.3	11.4	11.4
721 Dorch High West Street 2	28.7	29.4	29.5	27.8	27.8	30.3	21.9	27.3	27.2	38.7	37.7	39.1	30.4	30.7	30.7
717 Bridport East Road		46.5	40.73	41.0	44.6	48.9	52.1	54.3	48.3	49.2	45.2	47.5	47.1	47.6	47.6
730 Bridport East Road 2	41.9	43.5	52.49	44.8	51.6	60.7	49.6	57.2	46.6	56.0	53.1	54.1	51.0	51.5	51.5
731 Bridport	32.1	25.7	26.08	29.1	33.2	36.3	30.2	31.0	31.9	36.1	30.5	32.5	31.2	31.5	31.5

East Road															
732 Bridport Askers Mead	34.8	28.0	30.25	33.2	32.2	37.6	32.1	33.5	36.6	35.6	33.8	36.7	33.7	34.0	34.0
734 Bridport East Road 4	28.2	28.9	31.85	28.5	34.9	37.6	30.2	33.0	28.6	30.4	35.1	36.5	32.0	32.3	32.3
722 Chideock Hope Cottage	15.7	19.1	19.32	7.2	21.5	23.2	16.2	19.1	21.7	24.1	23.0	23.6	19.5	19.7	19.7
738 Greenhills	14.9	18.4	19.85	19.3		31.7	11.8	15.3	16.7	23.7	27.4	24.4	20.3	20.5	20.5
724 Chideock Duck Street	36.7	30.7	39.91	44.6	43.5		59.0	54.3	88.1	36.6	37.4	49.0	47.2	47.7	47.7
725 Chideock George Pub	23.5	22.3	29.43	26.2	23.7	27.5	22.0	26.0	25.6	28.0	15.8	32.8	25.2	25.5	25.5
726 Chideock Village Hall	36.7	32.3	33.17	39.5	47.8	49.5	56.1	73.8	63.8	40.8	42.4	52.3	47.3	47.8	47.8

727 Chideock Whitecroft	39.5	45.3	55.54	49.7	22.0	78.5	71.6	73.7	69.2	64.7	63.8	66.7	58.4	58.9	58.9
728 Chideock Warren House	23.3	24.6	22.48	24.3	28.3	31.0	24.5	27.2	28.7	25.9	27.5	32.7	26.7	27.0	27.0
735 Chideock Post Office	13.7	13.2	11.1	13.0	12.9	11.7	8.5	10.4	11.1	14.3	14.6	14.4	12.4	12.5	12.5
736 Chideock Post Office		13.1	13.96	12.1	13.7	10.2	7.8	10.1	10.8	14.6	14.5	15.6	12.4	12.5	12.5
737 Chideock Post Office	12.1	12.8	14.11	12.0	12.0	10.9	8.1	11.4	10.7	14.6	14.6	16.1	12.4	12.6	12.6

	Local	bias	adjus	stment	factor	used
--	-------	------	-------	--------	--------	------

#### Notes:

Exceedances of the NO<sub>2</sub> annual mean objective of 40µg/m<sup>3</sup> are shown in **bold**.

NO<sub>2</sub> annual means exceeding 60µg/m<sup>3</sup>, indicating a potential exceedance of the NO<sub>2</sub> 1-hour mean objective are shown in **bold and underlined**.

(1) See Appendix C for details on bias adjustment and annualisation.

<sup>☑</sup> National bias adjustment factor used

<sup>☐</sup> Annualisation has been conducted where data capture is <75% (N/A – data capture >75% for each diffusion tube location).

(2) Distance corrected to nearest relevant public exposure.

Results for diffusion tubes 736 (January 2016) and 717 (January 2016) were <1.38. It is thought that new diffusion tubes were returned to laboratory for analysis. Therefore these results have not been included in above results table.

Diffusion tube numbers 715, 719, 720, 722, 731, 732, 734 and 738 are not at a relevant exposure location. However, the annual bias adjusted mean for these locations is below the objective, therefore, and following advice from the LAQM Helpline on 29.11.17 by telephone, these data have not been distance corrected.

# **Appendix C: Long Term Diffusion Tube Monitoring in West Dorset**

Site	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
DORCHESTER																	
High West Street 2 (721)														32.8	34.7	30.84	31.0
High West Street 1 (711)	40.8	37.1	36.0	40.9	41.9	40.4		42.0		40.1	37.5	41.1	41.9	44.6	41.8	38.73	38.4
Tesco (712)			23.4	28.4	27.4		28.8	30.7	23.2	27.7	26.9	28.9	26.8				
Trinity Street (712)														32.9	31.4	30.85	32.1
High East Street 2 (713)												42.9	38.2	39.6	34.1	32.91	34.4
High East Street 1 (714)						34.9	34.5	35.2	33.0	37.7	43.5	39.2	43.0	46.2	40.6	42.06	42.3
High East Street 1 (731)														44.9	41.6		
High East Street 1 (732)														43.2	40.5		
Monkey's Jump Roundabout			24.3	29.8	32.5	34.9	27.1	32.3	28.1	29.4	30.2						
Maumbury Road (716)															33.4	32.7	30.7
The Grove (715)															38.3	32.93	36.1
Church Street (718)															25.9	21.23	22.4
Bridport Road (719)															28.2	25.99	22.7
Borough Gardens (720)															16.2	12.58	13.0
CHIDEOCK																	
Duck St (724)					39.1	45.3	39.8	47.6	36.0	43.6	45.5	41.7	44.3	50.9	43.0	45.8	45.2
George Pub (725)										34.5	32.0	32.7	31.5	33.5	31.0	30.7	28.5
Village Hall (726)										41.4	41.0	39.3	41.6	47.5	43.0	50.5	49.5
Duck St 2 (715)														13.9			
Post Office (735)														13.6	15.3	13.8	14.1
Post Office (736)														14.1	15.4	13.7	13.4
Post Office (737)														14.1	15.5	13.7	13.9
Hope Cottage (722)															20.0	21.8	24.3
Church (723)															26.0	25.7	25.1

Site	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Whitecroft (727)															50.0	51.5	53.3
Warren House (728)															28.0	29.7	27.9
Real Time Monitor															15.4	13.6	
BRIDPORT																	
East Road 1 (717)	34.2	35.8	28.5	37.4	34.5	37.9	34.1	47.4	37.9	49.6	48.4	51.3	55.1	57.1	55.4	43.11	43.7
Bridport 2		12.9	11.8	12.4	11.8	18.1	12.3	12.5	11.9	13.7	10.9						
West St (718)												33.8	28.6	28.7			
South St (719)										30.7	28.2	31.1	29.5	30.1			
East Road 2 (730)												38.8	40.0	41.0	47.65	57.45	56.6
East Road (731)																34.91	35.2
Askers Mead (732)																31.74	31.1
East Road 3 (733)														43.3	26.45		
East Road 4 (734)														51.4	31.33	28.52	32.5
LYME REGIS																	
Lyme Regis 1	19.4	20.5	12.9	14.6	14.4	18.1	12.6	14.7	10.8								
Church St (722)												27.7	25.9	27.2			
Broad St (723)										28.0	31.6	36.1	27.6	29.8			
Lyme 2			8.3	14.5	11.3	16.3	10.3	12.4	8.7								
BEAMINSTER															•		
Beaminster/Beam 1	24.3	22.7	19.7	18.7	18.5	28.4	22.5	28.3	19.3	26.7	24.1	24.1	24.5	24.9			
Beaminster 2			10.6	10.7	11.3	14.5	9.9	10.7	8.3								
SHERBOURNE															•		
Green Hill (727)	43.5	45.7	36.0	36.5	37.1	38.3	30.5	35.2	26.6	31.6	31.8	31.2	30.0	33.0			
Westbury (728)			19.3	19.6	19.7	23.0	18.0	19.4	15.4	19.5	16.6	22.4	17.1	21.4			
OTHER																	
Chickerell				19.2	21.1	25.2	18.5	21.0	14.8	17.4	13.8	14.0					
Abbotsbury			8.9	10.9	10.4	13.5	9.4	16.1	12.3	20.2	21.1	21.6	18.9	19.6			

Site	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Cerne Abbas			8.8	12.8	11.2	15.3	12.3	11.7	9.1								
Maiden Newton			12.6	17.9	15.2	19.1	16.2	22.0	15.4	19.6	19.0	16.4	17.0				
Puddletown	37.1	34.5	30.8	14.2	18.7												
Broadmayne			12.7	15.6	15.8	18.4	17.1	16.6	11.8								

# **Appendix D: Supporting Technical Information / Air Quality Monitoring Data QA/QC**

#### **QA/QC** of Automatic Monitoring

The automatic analyser is serviced and maintained by Air Monitors Ltd. The Local Authority undertake regular checks of the analyser by accessing the software 2-3 times per week to review if any error messages are showing. Physical visits to the analyser are undertaken each month for filter changes etc.

Air Monitors also monitor the analyser remotely and contact the Local Authority if there are any unusual readings.

The analyser undergoes automatic calibration. Data are screened regularly for spurious results, which are then removed and the data ratified. Any possible drift in the analyser's daily calibration can be identified and adjusted and correction factors applied if they are needed.

#### **Discussion of Choice of Factor to Use**

The national correction factor of 1.01 was used for 2016 data for all areas. As only 7 months of reliable data capture are available for Chideock from the automatic continuous monitor it has therefore been decided to use the national bias adjustment factor for diffusion tube results for Chideock.

**Table D.1 Summary of bias adjustment** 

#### **AEA Energy & Environment Checking Precision and Accuracy of Triplicate Tubes** From the AEA group **Automatic Method Diffusion Tubes Measurements Data Quality Check** Coefficient Data Tubes Automatic Start Date **End Date** Tube 1 Tube 2 Tube 3 Triplicate Standard 95% CI Period of Variation Capture Precision Monitor µgm ⁻³ µgm <sup>-3</sup> μgm <sup>-3</sup> Deviation dd/mm/yyyy dd/mm/yyyy Mean of mean Mean (CV) (% DC) Check Data 06/01/2016 04/02/2016 13.7 12.1 1.1 10.2 11 Good Good 13 9 92.5 04/02/2016 03/03/2016 13.2 13.1 12.8 13 0.2 2 0.5 13.1 Good Good 3 03/03/2016 31/03/2016 11.1 14.0 14.1 13 1.7 13 4.2 13.9 97 Good Good 31/03/2016 27/04/2016 12.1 12.0 12 1.4 13.0 0.5 4 13.5 93.5 Good Good 27/04/2016 26/05/2016 13.7 12.0 13 0.8 7 2.1 12 12.9 92.5 Good Good 26/05/2016 29/06/2016 11.7 10.2 10.9 11 0.7 7 1.8 11 97.1 Good Good 29/06/2016 8 0.4 5 0.9 8 27/07/2016 8.5 7.8 8.1 94.7 Good Good **Poor Data** 27/07/2016 24/08/2016 10.4 10.1 11.4 11 0.7 6 1.6 11 51.8 Good Capture **Poor Data** 28/09/2016 11.1 10.8 10.7 0.2 2 0 24/08/2016 11 0.5 Good Capture **Poor Data** 26/10/2016 10 28/09/2016 14.3 14.6 14.6 15 0.2 1 0.5 16 0.3 Good Capture **Poor Data** 26/10/2016 30/11/2016 0.0 11 14.6 14.5 14.6 15 0 0.1 8.7 2 Good Capture **Poor Data** 04/01/2017 12 30/11/2016 14.4 15.6 15 6 2.2 0.6 19.4 Capture 16.1 Good 13 It is necessary to have results for at least two tubes in order to calculate the precision of the measurements Good Poor Overall survey --> precision Overall DC (Check average CV & DC from Site Name/ID: Chideock 12 out of 12 periods have a CV smaller than 20% Precision Accuracy calculations) (with 95% confidence interval) (with 95% confidence interval) Accuracy Accuracy WITH ALL DATA without periods with CV larger than 20% 50% œ Bias calculated using 7 periods of data Bias calculated using 7 periods of data Diffusion Tube Bias Bias factor A 1 (0.93 - 1.09) **Bias factor A** 1 (0.93 - 1.09) 0% (-8% - 7%) 0% (-8% - 7%) Bias B Without CV>20% 12 μgm<sup>-3</sup> 12 µgm<sup>-3</sup> **Diffusion Tubes Mean:** Diffusion Tubes Mean: Mean CV (Precision): Mean CV (Precision): 12 µgm<sup>-3</sup> -50% 12 μgm<sup>-3</sup> **Automatic Mean: Automatic Mean:** Data Capture for periods used: 94% Data Capture for periods used: 94% Adjusted Tubes Mean: 12 (11 - 13) Jaume Targa, for AEA Adjusted Tubes Mean: 12 (11 - 13) Version 04 - February 2011

The table above shows data capture from the automatic analyser during 2016. There was poor data capture between August and December 2016. The figure reported in table A.3. above is the average data capture and NO<sub>2</sub> period mean for 2016. As the period mean is similar to previous years annual mean (see table A.3) and well below the annual mean objective, these data have not been annualised and are a period mean only.

Due to issues with the air conditioning unit in the automatic analyser enclosure, it was decided in December 2016 that operating the automatic analyser in Chideock was no longer feasible and the service and maintenance contract would not be renewed. The use of the analyser was to carry out co-location to provide a local bias adjustment factor to apply to the diffusion tubes. The National bias adjustment factor will be used in future. The analyser has produced both the local authority and Defra with meaningful data and has also been included in the national bias adjustment factor calculations for a number of years.

Diffusion tube numbers 715, 719, 720, 722, 731, 732, 734 and 738 are not at a relevant exposure location. However, the annual bias adjusted mean for these locations is below the objective, and following advice from the LAQM Helpline on 29.11.17 by telephone, these data have not been distance corrected.

#### **QA/QC** of Diffusion Tube Monitoring

The UKAS accredited laboratory, Gradko International Limited supply and analyse the diffusion tubes, which are a preparation of 50% TEA (triethanolamin) / Acetone. Tubes are handled in accordance with the instruction within LAQM.TG(16), 7.185.

Gradko International participate in the AIR/WASP NO<sub>2</sub> Proficiency Testing Scheme. In the four periods assessed in 2016 the laboratory received a score of 100%. http://laqm.defra.gov.uk/diffusion-tubes/ga-qc-framework.html

For the purposes of Local Air Quality Management, tube precision is separated into two categories, "Good" or "Poor", tubes are considered to have good precision where the coefficient of variation of duplicate or triplicate diffusion tubes for eight or more periods during the year is less than 20% and the average CV of all monitoring periods is less than 10%.

The results of precision testing show that Gradko International had "Good" precision for 15 out of 16 studies for 2016. <a href="http://laqm.defra.gov.uk/diffusion-tubes/precision.html">http://laqm.defra.gov.uk/diffusion-tubes/precision.html</a>


# **Appendix E: Map(s) of Monitoring Locations and AQMAs**

**Figure E.1 Map of Automatic Monitoring Site** 




**Figure E.2 Maps of Non-Automatic Monitoring Sites** 

#### Chideock



# Bridport




## **Dorchester**




# **Appendix F: Maps of AQMA Boundaries**


## 2007 AQMA Chideock Boundary



## 2012 Amended Chideock Boundary



## 2009 Dorchester AQMA Boundary



# **Appendix G: Summary of Air Quality Objectives in England**

Table G.1 – Air Quality Objectives in England

Pollutant	Air Quality Objective	ı
Poliulani	Concentration	Measured as
Nitrogen Dioxide	200 µg/m <sup>3</sup> not to be exceeded more than 18 times a year	1-hour mean
(NO <sub>2</sub> )	40 μg/m <sup>3</sup>	Annual mean
Particulate Matter	50 μg/m³, not to be exceeded more than 35 times a year	24-hour mean
(PM <sub>10</sub> )	40 μg/m <sup>3</sup>	Annual mean
	350 µg/m³, not to be exceeded more than 24 times a year	1-hour mean
Sulphur Dioxide (SO <sub>2</sub> )	125 µg/m³, not to be exceeded more than 3 times a year	24-hour mean
	266 µg/m <sup>3</sup> , not to be exceeded more than 35 times a year	15-minute mean

<sup>&</sup>lt;sup>4</sup> The units are in microgrammes of pollutant per cubic metre of air (μg/m³).

# **Appendix H: Summary of Previous Review and Assessment**

West Dorset District Council completed its first round of Review and Assessment in 2001. The review of the local air quality concluded that the objectives for all the seven regulatory pollutants were met and a further assessment was not required.

The second round of Review and Assessment began with an Updating and Screening Assessment (USA) in 2003. The USA, completed in 2004, concluded that a Detailed Assessment (DA) was required for some areas in Chideock, Bridport and Dorchester having the potential to exceed the AQO for NO2. This was completed in 2006. Based on the findings of the assessment and comments by DEFRA, it was concluded to declare an AQMA in Chideock and increase monitoring in Bridport and Dorchester to confirm if an AQMA was required in these areas.

In the third round of Review and Assessment the Council submitted a Progress Report in May 2007. Based on new monitoring data for NO<sub>2</sub>, the report concluded that a Detailed Assessment was required for NO<sub>2</sub> due to road traffic emissions in Bridport and Dorchester.

A Detailed Assessment was produced in 2008 based on new monitoring data collected during 2007. From the conclusion of the Detailed Assessment and comments by Defra, it was concluded to declare an AQMA in High East Street, Dorchester and undertake modelling and further monitoring of NO<sub>2</sub> in East Road, Bridport.

In 2008 a Further Assessment was completed for Chideock. This concluded that based on future year projections the annual average AQO for NO<sub>2</sub> would be achieved in 2010 but that an Action Plan would be drafted and implemented should the projected future year annual predictions not be met. The predictions were not met and WDDC have produced and implemented an Action Plan. Progress on the actions taken is regularly reviewed at stakeholder meetings.

A fourth round of review and assessment commenced with an Updating & Screening Assessment in 2009. The USA concluded that two areas, High East Street in Dorchester and along the A35 in Chideock, exceeded the national objective for nitrogen dioxide and both are already designated Air Quality Management Areas. The report also concluded that new monitoring data showed that nitrogen dioxide targets had been exceeded in East Road, Bridport, but that as the sites were not representative of relevant exposure, it

was recommended additional diffusion tubes to be placed in more representative locations.

A Progress report was submitted in 2010. This report concluded that three areas, High East Street Dorchester (designated an AQMA in 2009), Main Street, Chideock (designated AQMA in 2007) and East Road Bridport, exceeded the national objective for nitrogen dioxide; A Detailed Assessment for nitrogen dioxide was recommended for East Road, Bridport as a result of Defras' recommendations to WDDC's Updating & Screening Assessment 2009.

A Further Assessment was undertaken in 2010 for High East Street, Dorchester that confirmed the existing AQMA boundary.

A Progress Report, Detailed Assessment for Chideock and Bridport, and the Dorchester Air Quality action Plan were completed in 2011. The Progress report did not identify any other areas, other than those already identified as AQMA's and East Road Bridport, where there was a likely that the AQ Objectives would be met. A detailed assessment was undertaken for Chideock that recommended a reduction of the AQMA Boundary to the area where exceedences were recorded. The report also concluded that East Road, Bridport would not be declared as an AQMA as only one property is affected, limited staff resources, and that there is limited action that the council can take to resolve the problem as the Highways Agency is responsible for the A35 Trunk Road. The reduction of the AQMA boundary in Chideock was approved by Defra, however conclusions were not accepted for Bridport. Whilst Defra advised the Council to declare an AQMA at this location, the Council resolved to continue monitoring NO2 to check levels here in the future.

An Updating and Screening Assessment (2012) and Progress Report (2013) were completed in 2013. Monitoring data for 2011 and 2012 continued to show exceedences of the nitrogen dioxide annual mean in areas of Dorchester, Chideock and Bridport. The areas in Dorchester and Chideock have been declared AQMA's and have ongoing action plans in place to reduce the nitrogen dioxide levels here. The area of East Road, Bridport also exceeds this objective and there is only one residential property within the exceedance area. However, the Council resolved in 2011 not to declare here but to continue monitoring to check future levels of NO<sub>2</sub> here.

The 2014 Progress Report was completed in November 2015. Monitoring data for 2013 continued to show exceedences of the nitrogen dioxide annual mean in areas of Dorchester, Chideock and Bridport. The areas in Chideock and Dorchester have been

declared AQMA's and have ongoing action plans in place to reduce the nitrogen dioxide levels here. The area of East Road, Bridport, also exceeds this objective and there is one residential property within the exceedence area. In 2011, the Council resolved not to declare here but to continue monitoring to check future levels of NO<sub>2</sub> here.

The 2015 Updating and Screening Assessment was completed in December 2015. Monitoring data for 2014 continues to show exceedences of the nitrogen dioxide annual mean in areas of Dorchester, Chideock and Bridport. The areas in Dorchester and Chideock have been declared AQMA's and have ongoing action plans in place to reduce the nitrogen dioxide levels here. There are no plans to alter these AQMA's. The area of East Road, Bridport also exceeds this objective and there is one residential property within the exceedance area. However, the Council resolved in 2011 not to declare here but to continue monitoring to check future levels of NO<sub>2</sub> here. There are no plans to review this decision at present.

The 2016 Annual Status Report was completed in December 2016. Monitoring results for 2015 continue to exceed the annual objective for nitrogen dioxide in East Road, Bridport and Main Street, Chideock. There are no other exceedences of the air quality objectives in any other area of West Dorset. Areas that exceed the annual objective for nitrogen dioxide in Chideock are already within an Air Quality Management Area and an action plan is in place to improve air quality to comply with the objective. There is no AQMA in Bridport. Following a Detailed Assessment of nitrogen dioxide in Bridport in 2011, the Council resolved not to declare an AQMA but continue monitoring to check future levels of NO<sub>2</sub> here. There are no plans to review this decision at present.

# **Glossary of Terms**

Abbreviation	Description
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
ASR	Air quality Annual Status Report
Defra	Department for Environment, Food and Rural Affairs
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by Highways England
EU	European Union
FDMS	Filter Dynamics Measurement System
LAQM	Local Air Quality Management
NO <sub>2</sub>	Nitrogen Dioxide
NO <sub>x</sub>	Nitrogen Oxides
PM <sub>10</sub>	Airborne particulate matter with an aerodynamic diameter of 10μm (micrometres or microns) or less
PM <sub>2.5</sub>	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less
QA/QC	Quality Assurance and Quality Control
SO <sub>2</sub>	Sulphur Dioxide

## References

- Local Air Quality Management Policy Guidance LAQM.PG (16). April 2016.
   Published by Defra.
- Local Air Quality Management Technical Guidance LAQM.TG (16). April 2016. Published by Defra in partnership with the Scottish Government, Welsh Assembly Government and Department of the Environment Northern Ireland.
- The Local Transport Plan 3 2011- 2026, Dorset County Council
- Travel Choice www.dorsetforyou.com/travelchoice
- West Dorset Climate Change Strategy
- West Dorset District Council Carbon Management Plan (CMP)
- West Dorset District Council Updating and Screening Assessment 2015.
- West Dorset District Council Chideock Air Quality Action Plan 2009
- West Dorset District Council Dorchester Air Quality Action Plan 2011
- West Dorset District Council and Weymouth & Portland Borough Council joint Local Plan 2015