

## Appendix 1: Indicator Plant List including Dorset Notables

Based on the DERC Dorset Notable Plant list (updated 2022) for grasslands and related vegetation includes other 'indicator' species (in green).

Indicator species	Latin name	Common name	Grassland type <sup>4</sup>	Ellenberg Values <sup>1</sup>					GB <sup>2</sup>	ENG <sup>3</sup>	Species Status	
				L	F	R	N	S			Rarity <sup>5</sup>	Other <sup>6</sup>
	<i>Achillea ptarmica</i>	Sneezewort	RP/F	7	7	5	3	0	LC	LC		
	<i>Agrimonia eupatoria</i>	Agrimony	NG	7	4	7	4	0	LC	LC		
	<i>Agrostis curtisii</i>	Bristle Bent	AG	7	6	2	1	0	LC	LC		
	<i>Aira caryophylla</i>	Silver Hair-grass	AG	8	2	5	2	0	LC	LC		
	<i>Aira praecox</i>	Early Hair-grass	AG	8	2	4	2	0	LC	LC		
	<i>Alchemilla filicaulis subsp. vestita</i>	Hairy Lady's-mantle	NG	8	6	6	3	0	LC	LC		
	<i>Anacamptis morio</i>	Green-winged Orchid	CG; NG	8	4	7	3	0	NT	VU		
	<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	CG	8	4	8	3	0	LC	LC		
	<i>Angelica sylvestris</i>	Wild Angelica	RP/F	7	8	6	5	0	LC	LC		
	<i>Anthyllis vulneraria</i>	Kidney Vetch	CG	8	4	7	2	0	LC	LC		
	<i>Aphanes australis</i>	Slender Parsley-piert	AG	7	4	5	4	0	LC	LC		
	<i>Arabis hirsuta</i>	Hairy Rock-cress	CG	7	5	8	3	0	LC	NT		

<sup>1</sup> Ellenberg values: L = Light F = Moisture R = Reaction N = Fertility S = Salinity

<sup>2</sup> GB = UK Red List, Cheffings et al, 2005

<sup>3</sup> ENG = English Red List, Stroh et al, 2014

<sup>4</sup> Grassland types: AG = Acid grassland; CG = Calcareous grassland; NG = Neutral grassland; RP/F = Rush-pasture, fen-meadow & fen; AG/H = Acid grassland/Heath mosaic

<sup>5</sup> Rarity: DR = Dorset Rare; DS = Dorset Scarce; NR = Nationally Rare; NS = Nationally Scarce

<sup>6</sup> Other: PS = UK Priority Species; S41 = Section 41 species (NERC)



<i>Asperula cynanchica</i>	Squinancywort	CG	7	3	8	2	0	LC	LC		
<i>Betonica officinalis</i>	Betony	CG; NG; AG;	7	5	5	3	0	LC	LC		
<i>Bistorta officinalis</i>	Common Bistort	RP/F	6	7	6	6	0	LC	LC		
<i>Blackstonia perfoliata</i>	Yellow-wort	CG	8	5	8	2	0	LC	LC		
<i>Blysmus compressus</i>	Flat-sedge	RP/F	8	8	8	3	0	VU	VU	DR	PS;
<i>Botrychium lunaria</i>	Moonwort	NG	8	4	6	2	0	LC	VU	DR	
<i>Briza media</i>	Quaking-grass	CG; NG; RP/F	8	5	7	3	0	LC	NT		
<i>Bromus commutatus</i>	Meadow Brome	NG	7	4	8	6	0	LC	LC		
<i>Bromus racemosus</i>	Smooth Brome	NG	6	6	7	8	0	LC	LC		
<i>Calluna vulgaris</i>	Ling	AG/H	7	6	2	2	0	LC	NT		
<i>Caltha palustris</i>	Marsh Marigold	NG; RP/F	7	9	6	4	0	LC	LC		
<i>Campanula glomerata</i>	Clustered Bellflower	CG	8	4	7	3	0	LC	LC		
<i>Campanula rotundifolia</i>	Harebell	CG	7	4	5	2	0	LC	NT		
<i>Cardamine pratensis</i>	Lady's Smock	NG	7	8	5	4	0	LC	LC		
<i>Carex arenaria</i>	Sand Sedge	AG	8	3	5	2	1	LC	LC		
<i>Carex caryophyllea</i>	Spring-sedge	NG; AG	7	4	7	2	0	LC	LC		
<i>Carex diandra</i>	Lesser Tussock-sedge	RP/F	8	9	5	3	0	LC	VU	DR	
<i>Carex disticha</i>	Brown Sedge	RP/F	7	8	6	4	0	LC	LC		
<i>Carex hostiana</i>	Tawny Sedge	RP/F	8	9	6	2	0	LC	LC		
<i>Carex humilis</i>	Dwarf Sedge	CG	8	3	8	2	0	LC	LC	NS	
<i>Carex lepidocarpa</i>	Long-stalked Yellow-sedge	RP/F	8	9	8	2	1	LC	LC		
<i>Carex muricata subsp. pairae</i>	Small-fruited Prickly-sedge	AG	7	4	6	4	0	LC	LC		
<i>Carex pallescens</i>	Pale Sedge	RP/F	6	6	5	4	0	LC	LC		
<i>Carex panicea</i>	Carnation Sedge	RP/F	8	8	4	2	0	LC	LC		
<i>Carex paniculata</i>	Greater Tussock-sedge	RP/F	6	9	6	6	0	LC	LC		
<i>Carex pilulifera</i>	Pill Sedge	AG/H	7	5	3	2	0	LC	LC		
<i>Carex pulcaris</i>	Flea Sedge	RP/F	8	7	5	2	0	LC	NT		



<i>Carex rostrata</i>	Bottle Sedge	RP/F	8	1	4	2	0	LC	LC		
<i>Carex vesicaria</i>	Bladder-sedge	RP/F	8	1	5	4	0	LC	LC		
<i>Carlina vulgaris</i>	Carlina Thistle	CG	8	4	7	2	0	LC	NT		
<i>Centaurea nigra</i>	Common Knapweed	NG	7	5	6	5	0	LC	LC		
<i>Centaurea scabiosa</i>	Greater knapweed	CG	8	3	8	3	0	LC	LC		
<i>Centaureum erythraea</i>	Common Centaury	AG/H/NG	8	5	6	3	0	LC	LC		
<i>Centaureum pulchellum</i>	Lesser Centaury	CG	8	8	8	3	1	LC	LC		
<i>Centunculus minimus</i>	Chaffweed	AG	8	7	5	3	0	NT	EN		
<i>Cerastium arvense</i>	Field Mouse-ear	CG	8	4	5	3	0	LC	NT		
<i>Cerastium diffusum</i>	Sea Mouse-ear	AG	9	4	6	3	1	LC	LC		
<i>Cerastium pumilum</i>	Dwarf Mouse-ear	CG	8	2	8	1	0	NT	LC	NS	
<i>Cerastium semidecandrum</i>	Little Mouse-ear	AG	8	3	6	3	0	LC	LC		
<i>Chamaemelum nobile</i>	Chamomile	AG	8	7	5	5	0	VU	VU	DS	PS;
<i>Cirsium acaule</i>	Dwarf Thistle	CG	9	4	8	3	0	LC	LC		
<i>Cirsium dissectum</i>	Meadow Thistle	RP/F	8	8	4	2	0	LC	LC		
<i>Cirsium eriophorum</i>	Woolly Thistle	CG	8	4	8	5	0	LC	LC		
<i>Cirsium tuberosum</i>	Tuberous Thistle	CG	8	6	8	3	0	NT	NT	DR	
<i>Cladium mariscus</i>	Great Fen-sedge	RP/F	8	1	8	4	0	LC	LC	DR	
<i>Clinopodium acinos</i>	Basil Thyme	CG	8	2	8	1	0	VU	VU		PS;
<i>Clinopodium ascendens</i>	Common Calamint	CG	7	5	7	6	0	LC	LC		
<i>Coeloglossum viride</i>	Frog Orchid	CG	7	4	6	2	0	VU	VU		PS;
<i>Comarum palustre</i>	Marsh Cinquefoil	RP/F	8	9	5	3	0	LC	LC		
<i>Conopodium majus</i>	Pignut	NG; AG	6	5	5	5	0	LC	LC		
<i>Crassula tillaea</i>	Mossy Stonecrop	AG	8	7	4	2	0	LC	LC	NS	
<i>Cruciata laevipes</i>	Crosswort	CG	6	5	7	5	0	LC	NT		
<i>Cynodon dactylon</i>	Bermuda Grass	AG	8	4	7	5	0	LC	LC		
<i>Cynoglossum officinale</i>	Hound's-tongue	CG	8	4	8	6	1	NT	NT		



<i>Cyperus longus</i>	Galingale	RP/F	9	8	5	4	0	NT	NT		
<i>Dactylorhiza fuchsia</i>	Common spotted-orchid	CG; NG	7	8	7	3	0	LC	LC		
<i>Dactylorhiza incarnata subsp.</i>	Early Marsh-orchid	RP/F	8	9	6	2	0	LC	LC		
<i>Dactylorhiza maculata</i>	Heath Spotted-orchid	RP/F	7	7	3	2	0	LC	LC		
<i>Dactylorhiza praetermissa</i>	Southern Marsh-orchid	RP/F	8	8	7	3	0	LC	LC		
<i>Dactylorhiza traunsteinerioides</i>	Narrow-leaved Marsh-	RP/F	8	8	7	2	0	LC	LC		
<i>Danthonia decumbens</i>	Heath-grass	CG; NG; AG	7	6	4	2	0	LC	LC		
<i>Daucus carota</i>	Wild Carrot	CG/NG	8	4	7	3	2	LC	LC		
<i>Dianthus armeria</i>	Deptford Pink	AG	8	5	5	5	3	0	EN	DR	PS;
<i>Dianthus deltoides</i>	Maiden Pink	AG	8	3	-	2	0	LC	LC	DR	
<i>Dryopteris carthusiana</i>	Narrow Buckler-fern	RP/F	6	6	5	4	0	LC	LC		
<i>Eleocharis quinqueflora</i>	Few-flowered Spike-rush	RP/F	9	9	7	2	0	LC	LC	DS	
<i>Epipactis palustris</i>	Marsh Helleborine	RP/F	8	8	7	3	0	LC	NT		
<i>Equisetum palustre</i>	Marsh Horsetail	RP/F	7	8	6	3	0	LC	LC		
<i>Erigeron acer</i>	Blue Fleabane	AG	8	5	7	3	0	LC	LC		
<i>Eriophorum latifolium</i>	Broad-leaved Cottongrass	RP/F	9	9	7	2	0	LC	LC	DR	
<i>Erodium cicutarium</i>	Common Stork's-bill	AG	8	4	6	4	0	LC	LC		
<i>Erica cinerea</i>	Bell Heather	AG/H	7	5	2	2	0	LC	NT		
<i>Erica tetralix</i>	Cross-leaved Heath	AG/H	8	8	2	1	0	LC	NT		
<i>Erophila verna s.l.</i>	Common Whitlow-grass	AG/H	8	3	7	3	0	LC	LC		
<i>Euphrasia arctica subsp. borealis</i>	Arctic eyebright	NG	7	5	6	4	0	LC	DD		
<i>Euphrasia confusa</i>	Confused eyebright	CG	8	5	6	2	0	LC	VU		
<i>Euphrasia nemorosa</i>	Common eyebright	CG; NG	7	5	8	4	0	LC	NT		
<i>Euphrasia officinalis var. anglica</i>	Eyebright	AG	7	5	5	3	0	EN	EN		PS;
<i>Euphrasia pseudokernerii</i>	Chalk eyebright	CG	7	4	8	3	0	EN	VU	DR	PS;
<i>Euphrasia tetraquetra</i>	Western eyebright	CG	8	6	6	3	3	LC	NT		
<i>Festuca filiformis</i>	Fine-leaved Sheep's-fescue	AG	8	4	3	2	0	LC	LC		



<i>Filago vulgaris</i>	Common Cudweed	AG	7	4	6	4	0	NT	NT		
<i>Filipendula ulmaria</i>	Meadowsweet	RP/F	7	8	6	5	0	LC	LC		
<i>Filipendula vulgaris</i>	Dropwort	CG	7	4	8	2	0	LC	LC		
<i>Galium mollugo</i>	Hedge Bedstraw	CG; NG	7	4	7	4	0	LC	LC		
<i>Galium saxatile</i>	Heath Bedstraw	AG	6	6	3	3	0	LC	LC		
<i>Galium uliginosum</i>	Fen Bedstraw	RP/F	7	9	6	4	0	LC	LC		
<i>Galium verum</i>	Lady's Bedstraw	CG; NG	7	4	6	2	0	LC	LC		
<i>Gastridium ventricosum</i>	Nit-grass	CG	9	3	8	2	0	LC	LC	NS	
<i>Gaudinia fragilis</i>	French Oat-grass	NG	8	5	6	6	0	LC	LC	NS	
<i>Genista anglica</i>	Petty Whin	RP/F	8	5	3	2	0	NT	VU		
<i>Genista tinctoria</i>	Dyer's Greenweed	NG	8	6	7	2	0	LC	VU		
<i>Gentianella amarella</i>	Autumn Gentian	CG	8	4	8	2	0	LC	NT		
<i>Gentianella anglica</i>	Early Gentian	CG	8	3	8	2	0	LC	LC	NS	PS;
<i>Geum rivale</i>	Water Avens	RP/F	6	7	6	4	0	LC	LC		
<i>Gymnadenia conopsea</i>	Chalk Fragrant Orchid	CG	7	6	7	3	0	LC	LC		
<i>Gymnadenia densiflora</i>	Marsh Fragrant Orchid	RP/F						LC	DD	DR	
<i>Helianthemum nummularium</i>	Common Rock-rose	CG	7	4	7	2	0	LC	NT		
<i>Herminium monorchis</i>	Musk Orchid	CG	8	5	8	2	0	VU	EN	DR	
<i>Hippocrepis comosa</i>	Horseshoe Vetch	CG	8	3	8	2	0	LC	LC		
<i>Hordeum secalinum</i>	Meadow Barley	NG	8	6	7	6	1	LC	LC		
<i>Hydrocotyle vulgaris</i>	Marsh Pennywort	RP/F	8	8	6	3	1	LC	NT		
<i>Hypericum montanum</i>	Pale St John's-wort	CG	7	4	8	2	0	NT	LC		
<i>Hypochaeris glabra</i>	Smooth Cat's-ear	AG	8	4	4	2	0	VU	VU		
<i>Hypochaeris radicata</i>	Common Cat's-ear	AG/H/NG	7	6	6	5	0	LC	LC		
<i>Illecebrum verticillatum</i>	Coral-necklace	AG	8	7	3	2	0	LC	LC		
<i>Inula conyzae</i>	Ploughman's-spikenard	CG	7	3	8	3	0	LC	LC		
<i>Isolepis setacea</i>	Bristle Club-rush	RP/F	7	9	5	3	0	LC	LC		



<i>Jasione montana</i>	Sheep's-bit	AG	7	4	4	2	0	LC	VU		
<i>Juncus subnodulosus</i>	Blunt-flowered Rush	RP/F	8	9	8	4	0	LC	LC		
<i>Juniperus communis subsp.</i>	Common Juniper	CG	8	5	5	3	0	LC	NT	DS	PS;
<i>Knautia arvensis</i>	Field Scabious	CG	7	3	8	4	0	LC	NT		
<i>Koeleria macrantha</i>	Crested Hair-grass	CG	8	4	7	2	0	LC	LC		
<i>Lathyrus linifolius</i>	Bitter-vetch	NG; AG; RP/F	6	5	4	3	0	LC	NT		
<i>Lathyrus nissolia</i>	Grass Vetchling	NG	8	6	7	6	0	LC	LC		
<i>Lathyrus pratensis</i>	Meadow Vetchling	CG;NG	7	6	6	5	0	LC	LC		
<i>Leontodon hispidus</i>	Rough Hawkbit	CG; NG	8	4	7	3	0	LC	LC		
<i>Leontodon saxatilis</i>	Lesser Hawkbit	NG	8	5	6	3	0	LC	LC		
<i>Lepidium heterophyllum</i>	Smith's Pepperwort	AG	7	4	5	4	0	LC	LC		
<i>Leucanthemum vulgare</i>	Oxeye Daisy	NG	8	4	7	4	0	LC	LC		
<i>Linum catharticum</i>	Fairy Flax	CG	8	5	7	2	0	LC	LC		
<i>Linum radiola</i>	Allseed	AG	8	7	4	2	1	NT	VU		
<i>Logfia minima</i>	Small Cudweed	AG	8	3	4	2	0	LC	NT		
<i>Lotus angustissimus</i>	Slender Bird's-foot-trefoil	AG	8	3	4	3	0	LC	LC	NS	
<i>Lotus corniculatus</i>	Common Bird's-foot-trefoil	NG	7	4	6	2	1	LC	LC		
<i>Lotus subbiflorus</i>	Hairy Bird's-foot-trefoil	AG	7	5	6	5	0	LC	LC		
<i>Luzula campestris</i>	Field Wood-rush	NG; AG	7	4	5	2	0	LC	LC		
<i>Lysimachia nummularia</i>	Creeping-Jenny	NG	5	7	5	5	0	LC	LC		
<i>Lysimachia tenella</i>	Bog Pimpernel	RP/F	8	8	5	3	0	LC	LC		
<i>Lysimachia vulgaris</i>	Yellow Loosestrife	RP/F	7	9	7	5	0	LC	LC		
<i>Marrubium vulgare</i>	White Horehound	CG	9	5	7	8	0	LC	LC	NS	
<i>Mentha pulegium</i>	Pennyroyal	AG	8	7	5	7	0	EN	CR		PS;
<i>Menyanthes trifoliata</i>	Bogbean	RP/F	8	1	4	3	0	LC	LC		
<i>Moenchia erecta</i>	Upright Chickweed	AG	7	8	3	2	0	LC	VU		
<i>Myosotis ramosissima</i>	Early Forget-me-not	AG	8	3	6	3	0	LC	LC		



<i>Myosotis secunda</i>	Creeping Forget-me-not	RP/F	6	9	5	4	0	LC	LC		
<i>Nardus stricta</i>	Mat-grass	AG; RP/F	7	7	3	2	0	LC	NT		
<i>Neottinea ustulata</i>	Burnt Orchid	CG	8	4	8	2	0	EN	EN	NS	PS; 41
<i>Oenanthe fistulosa</i>	Tubular Water-dropwort	RP/F	7	9	7	6	0	LC	VU		PS;
<i>Oenanthe lachenalii</i>	Parsley Water-dropwort	RP/F	8	8	8	5	3	LC	NT		
<i>Oenanthe pimpinelloides</i>	Corky-fruited Water-	NG	7	7	6	3	0	LC	LC		
<i>Ononis repens</i>	Common Restharrow	NG; CG	8	4	6	3	0	LC	LC		
<i>Ononis spinosa</i>	Spiny Restharrow	NG	8	4	8	3	0	LC	NT		
<i>Ophioglossum azoricum</i>	Small Adder's-tongue	AG	8	6	5	2	1	LC	LC	DR	
<i>Ophioglossum vulgatum</i>	Adder's-tongue	NG	8	7	7	3	0	LC	LC		
<i>Ophrys apifera</i>	Bee Orchid	CG	8	4	8	3	0	LC	LC		
<i>Ophrys sphegodes</i>	Early Spider-orchid	CG	8	4	9	3	0	LC	LC	NS	
<i>Orchis mascula</i>	Early Purple Orchid	CG	6	5	7	4	0	LC	LC		
<i>Origanum vulgare</i>	Marjoram	CG	6	4	7	4	0	LC	LC		
<i>Ornithopus perpusillus</i>	Bird's-foot	AG	7	4	4	3	0	LC	LC		
<i>Orobanche elatior</i>	Knapweed Broomrape	CG	8	3	8	3	0	LC	LC		
<i>Parentucellia viscosa</i>	Yellow Bartsia	AG	7	7	7	5	0	LC	LC		
<i>Pedicularis palustris</i>	Marsh Lousewort	RP/F	8	8	5	2	0	LC	VU		
<i>Pedicularis sylvatica</i>	Lousewort	AG; RP/F	8	8	3	2	0	LC	VU		
<i>Picris hieracioides</i>	Hawkweed Oxtongue	CG	8	4	8	3	0	LC	LC		
<i>Pilosella officinarum</i>	Mouse-ear-hawkweed	CG; NG; AG	8	4	7	2	0	LC	LC		
<i>Pilosella peleteriana</i>	Shaggy Mouse-ear	CG	8	3	8	2	0	NT	LC	NR	
<i>Pimpinella saxifraga</i>	Burnet-saxifrage	CG; NG	7	4	7	3	0	LC	LC		
<i>Plantago coronopus</i>	Buck's-horn Plantain	AG	8	6	6	4	2	LC	LC		
<i>Plantago media</i>	Hoary Plantain	CG	8	4	7	3	0	LC	NT		
<i>Platanthera chlorantha</i>	Greater Butterfly-orchid	CG	5	5	7	4	0	NT	LC		
<i>Poa humilis</i>	Spreading Meadow-grass	NG	8	6	6	4	2	LC	LC		



<i>Polygala calcarea</i>	Chalk Milkwort	CG	7	3	8	2	0	LC	LC		
<i>Polygala serpyllifolia</i>	Heath Milkwort	AG; RP/F	8	7	2	2	0	LC	NT		
<i>Polygala vulgaris</i>	Common Milkwort	CG; NG	8	5	6	3	0	LC	LC		
<i>Potentilla anglica</i>	Trailing Tormentil	NG	7	5	5	5	0	LC	LC		
<i>Potentilla argentea</i>	Hoary Cinquefoil	AG	8	3	5	2	0	NT	NT		
<i>Potentilla erecta</i>	Tormentil	NG; RP/F	7	7	3	2	0	LC	NT		
<i>Poterium sanguisorba</i>	Salad Burnet	CG	7	4	8	3	0	LC	LC		
<i>Primula veris</i>	Cowslip	CG; NG	7	4	7	3	0	LC	LC		
<i>Pulicaria dysenterica</i>	Common Fleabane	RP/F	7	7	7	4	0	LC	LC		
<i>Pulicaria vulgaris</i>	Small Fleabane	AG	9	8	6	7	0	CR	EN	DR	
<i>Rhinanthus minor subsp. minor</i>	Yellow-rattle	NG	7	5	6	4	0	LC	LC		
<i>Rhinanthus minor subsp. calcareus</i>	'Chalk Yellow-rattle'	CG						DD	DD		
<i>Rosa agrestis</i>	Small-leaved Sweet-briar	CG	8	3	8	3	0	NT	NT		
<i>Rumex acetosa</i>	Common Sorrel	NG	7	5	5	4	0	LC	LC		
<i>Rumex acetosella</i>	Sheep's Sorrel	AG/H	7	5	4	3	0	LC	LC		
<i>Sagina nodosa</i>	Knotted Pearlwort	AG	8	7	7	3	1	LC	VU		
<i>Sagina subulata</i>	Heath Pearlwort	AG	8	6	6	4	0	LC	NT		
<i>Salix repens</i>	Creeping Willow	RP/F	8	7	6	3	0	LC	NT		
<i>Salvia verbenaca</i>	Wild Clary	CG	8	3	7	2	0	LC	NT		
<i>Sanguisorba officinalis</i>	Great Burnet	RP/F	7	7	6	5	0	LC	LC		
<i>Saxifraga granulata</i>	Meadow Saxifrage	CG	8	5	6	4	0	LC	LC		
<i>Scabiosa columbaria</i>	Small Scabious	CG	8	3	8	2	0	LC	LC		
<i>Scirpus sylvaticus</i>	Wood Club-rush	RP/F	6	8	6	6	0	LC	LC		
<i>Scleranthus annuus</i>	Annual Knawel	AG	7	4	4	4	0	EN	EN		PS;
<i>Scorzonera humilis</i>	Viper's-grass	RP/F	8	7	5	2	0	VU	VU	DR	PS;
<i>Scutellaria galericulata</i>	Skullcap	RP/F	7	8	6	5	0	LC	LC		
<i>Scutellaria minor</i>	Lesser Skullcap	RP/F	7	9	4	2	0	LC	LC		





<i>Sedum acre</i>	Biting Stonecrop	AG	8	2	7	2	1	LC	LC		
<i>Sedum anglicum</i>	English Stonecrop	AG	8	3	4	2	1	LC	LC		
<i>Serratula tinctoria</i>	Saw-wort	CG; NG; RP/F	7	6	6	2	0	LC	LC		
<i>Sherardia arvensis</i>	Field Madder	AG	7	4	6	4	0	LC	LC		
<i>Silaum silaus</i>	Pepper-saxifrage	NG	8	5	7	4	0	LC	LC		
<i>Silene flos-cuculi</i>	Ragged-Robin	RP/F	7	9	6	4	0	LC	NT		
<i>Silene nutans</i>	Nottingham Catchfly	CG	8	3	8	4	0	NT	NT	NS	
<i>Sison amomum</i>	Stone Parsley	NG	7	4	7	5	0	LC	LC		
<i>Spergularia rubra</i>	Sand Spurrey	AG	8	3	4	2	0	LC	LC		
<i>Spiranthes spiralis</i>	Autumn Lady's-tresses	CG	8	4	6	3	0	NT	NT		
<i>Stellaria alsine</i>	Bog Stitchwort	RP/F	7	8	5	5	0	LC	LC		
<i>Stellaria pallida</i>	Lesser Chickweed	AG	7	4	4	4	0	LC	LC		
<i>Stellaria palustris</i>	Marsh Stitchwort	RP/F	7	8	6	4	0	VU	VU	DR	S41
<i>Succisa pratensis</i>	Devil's-bit Scabious	CG; NG; AG;	7	7	5	2	0	LC	NT		
<i>Teesdalia nudicaulis</i>	Shepherd's Cress	AG	8	3	2	2	0	NT	NT	DR	
<i>Tephrosieris integrifolia</i>	Field Fleawort	CG	7	3	8	3	0	EN	VU	DS	PS;
<i>Thalictrum flavum</i>	Common Meadow-rue	RP/F	7	8	7	5	0	LC	LC		
<i>Thelypteris palustris</i>	Marsh Fern	RP/F	6	8	7	5	0	LC	LC		
<i>Thesium humifusum</i>	Bastard-toadflax	CG	8	4	8	3	0	LC	LC	NS	
<i>Thymus polytrichus</i>	Wild Thyme	CG	8	4	6	2	0	LC	LC		
<i>Thymus pulegioides</i>	Large Thyme	CG	8	4	8	2	0	LC	LC		
<i>Trifolium arvense</i>	Hare's-foot Clover	AG	9	3	5	2	1	LC	LC		
<i>Trifolium fragiferum</i>	Strawberry Clover	NG	8	7	7	6	2	LC	VU		
<i>Trifolium glomeratum</i>	Clustered Clover	AG	9	3	5	2	0	LC	LC		
<i>Trifolium medium</i>	Zigzag Clover	NG; RP/F	7	4	6	4	0	LC	LC		
<i>Trifolium micranthum</i>	Slender Trefoil	AG	8	5	5	5	0	LC	LC		
<i>Trifolium ornithopodioides</i>	Bird's-foot Clover	AG	9	6	5	3	0	LC	LC		



<i>Trifolium pratense</i>	Red Clover	NG	7	5	7	5	0	LC	LC		
<i>Trifolium scabrum</i>	Rough Clover	AG	9	3	7	2	1	LC	LC		
<i>Trifolium striatum</i>	Knotted Clover	AG	8	3	5	2	0	LC	LC		
<i>Trifolium subterraneum</i>	Subterranean Clover	AG	8	3	4	2	0	LC	LC		
<i>Trifolium suffocatum</i>	Suffocated Clover	AG	8	4	4	2	0	LC	LC		
<i>Triglochin palustre</i>	Marsh Arrowgrass	RP/F	8	9	6	2	2	LC	NT		
<i>Trisetum flavescens</i>	Yellow Oat-grass	NG	7	4	7	4	0	LC	LC		
<i>Trocdaris verticillate</i>	Whorled Caraway	RP/F	7	8	4	2	0	LC	VU	DR	
<i>Ulex gallii</i>	Western Gorse	AG/H	7	6	3	2	0	LC	LC		
<i>Ulex minor</i>	Dwarf Gorse	AG	8	6	1	2	0	LC	LC		
<i>Vaccinium myrtillus</i>	Bilberry	AG	6	6	2	2	0	LC	LC		
<i>Valeriana dioica</i>	Marsh Valerian	RP/F	8	8	6	3	0	LC	NT		
<i>Valeriana officinalis</i>	Common Valerian	RP/F	6	8	6	5	0	LC	NT		
<i>Valerianella eriocarpa</i>	Hairy-fruited Cornsalad	CG	8	3	8	3	0	LC	LC		
<i>Veronica chamaedrys</i>	Germander Speedwell	CG	6	5	6	5	0	LC	LC		
<i>Veronica officinalis</i>	Heath Speedwell	AG	6	5	4	4	0	LC	NT		
<i>Veronica scutellata</i>	Marsh Speedwell	RP/F	8	9	5	3	0	LC	NT		
<i>Vicia cracca</i>	Tufted Vetch	NG	7	7	7	5	0	LC	LC		
<i>Vicia lathyroides</i>	Spring Vetch	AG	8	3	5	3	0	LC	LC	DS	
<i>Viola canina</i>	Heath Dog-violet	AG; RP/F	8	4	5	2	0	NT	VU		
<i>Viola hirta</i>	Hairy Violet	CG	7	4	8	2	0	LC	LC		
<i>Viola lactea</i>	Pale Dog-violet	AG	7	6	2	2	0	VU	EN		PS;
<i>Viola palustris</i>	Marsh Violet	RP/F	7	9	3	2	0	LC	LC		
<i>Viola riviniana</i>	Common Dog-violet	AG	6	5	5	4	0	LC	LC		

