

Based on the DERC Dorset Notable Plant list (updated 2012) for grasslands and related vegetation includes other 'indicator' species (indicated in green)

Indicator species	Common name	Grassland type ¹	Ellenberg Values ²								Species Status	
			L	F	R	N	S	G	E	Rarity ⁵	Other ⁶	
<i>Achillea ptarmica</i>	Sneezewort	RP/F	7	7	5	3	0	LC	LC			
<i>Agrimonia eupatoria</i>	Agrimony	NG	7	4	7	4	0	LC	LC			
<i>Agrostis curtisii</i>	Bristle Bent	AG	7	6	2	1	0	LC	LC			
<i>Aira caryophyllea</i>	Silver Hair-grass	AG	8	2	5	2	0	LC	LC			
<i>Aira praecox</i>	Early Hair-grass	AG	8	2	4	2	0	LC	LC			
<i>Alchemilla filicaulis subsp. vestita</i>		NG	8	6	6	3	0	LC	LC			
<i>Anacamptis morio</i>	Green-winged Orchid	CG; NG	8	4	7	3	0	N	V			
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	CG	8	4	8	3	0	LC	LC			
<i>Anagallis tenella</i>	Bog Pimpernel	RP/F	8	8	5	3	0	LC	LC			
<i>Anthyllis vulneraria</i>	Kidney Vetch	CG	8	4	7	2	0	LC	LC			
<i>Aphanes australis</i>	Slender Parsley-piert	AG	7	4	5	4	0	LC	LC			
<i>Arabis hirsuta</i>	Hairy Rock-cress	CG	7	5	8	3	0	LC	N			
<i>Asperula cynanchica</i>	Squinancywort	CG	7	3	8	2	0	LC	LC			
<i>Blackstonia perfoliata</i>	Yellow-wort	CG	8	5	8	2	0	LC	LC			
<i>Blysmus compressus</i>	Flat-sedge	RP/F	8	8	8	3	0	V	V		PS; S41	
<i>Botrychium lunaria</i>	Moonwort	NG	8	4	6	2	0	LC	V	DR		
<i>Briza media</i>	Quaking-grass	CG; NG; RP/F	8	5	7	3	0	LC	N			
<i>Bromus commutatus</i>	Meadow Brome	NG	7	4	8	6	0	LC	LC			
<i>Bromus racemosus</i>	Smooth Brome	NG	6	6	7	8	0	LC	LC			
<i>Calluna vulgaris</i>	Ling	AG/H	7	6	2	2	0	LC	N			

<i>Caltha palustris</i>	Marsh Marigold	RP/F	7	9	6	4	0	LC	V		
<i>Campanula glomerata</i>	Clustered Bellflower	CG	8	4	7	3	0	LC	LC		
<i>Campanula rotundifolia</i>	Harebell	CG	7	4	5	2	0	LC	N		
<i>Cardamine pratensis</i>	Lady's Smock	NG	7	8	5	4	0	LC	LC		
<i>Carex arenaria</i>	Sand Sedge	AG	8	3	5	2	1	LC	LC		
<i>Carex caryophylla</i>	Spring Sedge	NG; AG	7	4	7	2	0	LC	LC		
<i>Carex diandra</i>	Lesser Tussock-sedge	RP/F	8	9	5	3	0	LC	V		
<i>Carex disticha</i>	Brown Sedge	RP/F	7	8	6	4	0	LC	LC		
<i>Carex hostiana</i>	Tawny Sedge	RP/F	8	9	6	2	0	LC	LC		
<i>Carex humilis</i>	Dwarf Sedge	CG	8	3	8	2	0	LC	LC	NS	
<i>Carex muricata subsp. pairae</i>	Small-fruited Prickly-sedge	AG	7	4	6	4	0	LC	LC		
<i>Carex pallescens</i>	Pale Sedge	RP/F	6	6	5	4	0	LC	LC		
<i>Carex panicea</i>	Carnation Sedge	RP/F	8	8	4	2	0	LC	LC		
<i>Carex paniculata</i>	Greater Tussock-sedge	RP/F	6	9	6	6	0	LC	LC		
<i>Carex pilulifera</i>	Pill Sedge	AG/H	7	5	3	2	0	LC	LC		
<i>Carex pulicaris</i>	Flea Sedge	RP/F	8	7	5	2	0	LC	N		
<i>Carex rostrata</i>	Bottle Sedge	RP/F	8	1	4	2	0	LC	LC		
<i>Carex vesicaria</i>	Bladder-sedge	RP/F	8	1	5	4	0	LC	LC		
<i>Carex viridula subsp. brachyrrhyncha</i>	Long-stalked Yellow-sedge	RP/F	8	9	8	2	1	LC	LC		
<i>Carlina vulgaris</i>	Carlina Thistle	CG	8	4	7	2	0	LC	N		
<i>Carum verticillatum</i>	Whorled Caraway	RP/F	7	8	4	2	0	LC	V		
<i>Centaurea nigra</i>	Common Knapweed	NG	7	5	6	5	0	LC	LC		
<i>Centaurea scabiosa</i>	Greater knapweed	CG	8	3	8	3	0	LC	LC		
<i>Centaureum erythraea</i>	Common Centaury	AG/H/NG	8	5	6	3	0	LC	LC		

<i>Centaureum pulchellum</i>	Lesser Centaury	CG	8	8	8	3	1	LC	LC		
<i>Centunculus minimus</i>	Chaffweed	AG	8	7	5	3	0	N	E		
<i>Cerastium arvense</i>	Field Mouse-ear	CG	8	4	5	3	0	LC	N		
<i>Cerastium diffusum</i>	Sea Mouse-ear	AG	9	4	6	3	1	LC	LC		
<i>Cerastium pumilum</i>	Dwarf Mouse-ear	CG	8	2	8	1	0	N	LC	NS	
<i>Cerastium semidecandrum</i>	Little Mouse-ear	AG	8	3	6	3	0	LC	LC		
<i>Chamaemelum nobile</i>	Chamomile	AG	8	7	5	5	0	V	V		PS; S41
<i>Cirsium acaule</i>	Dwarf Thistle	CG	9	4	8	3	0	LC	LC		
<i>Cirsium dissectum</i>	Meadow Thistle	RP/F	8	8	4	2	0	LC	LC		
<i>Cirsium eriophorum</i>	Woolly Thistle	CG	8	4	8	5	0	LC	LC		
<i>Cirsium tuberosum</i>	Tuberous Thistle	CG	8	6	8	3	0	N	N		
<i>Cladium mariscus</i>	Great Fen-sedge	RP/F	8	1	8	4	0	LC	LC		
<i>Clinopodium acinos</i>	Basil Thyme	CG	8	2	8	1	0	V	V		PS; S41
<i>Clinopodium ascendens</i>	Common Calamint	CG	7	5	7	6	0	LC	LC		
<i>Coeloglossum viride</i>	Frog Orchid	CG	7	4	6	2	0	V	V		PS; S41
<i>Conopodium majus</i>	Pignut	NG; AG	6	5	5	5	0	LC	LC		
<i>Crassula tillaea</i>	Mossy Stonecrop	AG	8	7	4	2	0	LC	LC	NS	
<i>Cruciata laevipes</i>	Crosswort	CG	6	5	7	5	0	LC	N		
<i>Cynodon dactylon</i>	Bermuda Grass	AG	8	4	7	5	0	LC	LC		
<i>Cynoglossum officinale</i>	Hound's-tongue	CG	8	4	8	6	1	N	N		
<i>Cyperus longus</i>	Galingale	RP/F	9	8	5	4	0	N	N		
<i>Dactylorhiza fuchsia</i>	Common spotted-orchid	CG;NG	7	8	7	3	0	LC	LC		
<i>Dactylorhiza incarnata subsp. incarnata</i>	Early Marsh-orchid	RP/F	8	9	6	2	0	LC	LC		
<i>Dactylorhiza maculata</i>	Heath Spotted-orchid	RP/F	7	7	3	2	0	LC	LC		

<i>Dactylorhiza praetermissa</i>	Southern Marsh-orchid	RP/F	8	8	7	3	0	LC	LC		
<i>Dactylorhiza traunsteinerioides</i>	Narrow-leaved Marsh-orchid	RP/F	8	8	7	2	0	LC	LC		
<i>Danthonia decumbens</i>	Heath-grass	CG; NG; AG	7	6	4	2	0	LC	LC		
<i>Daucus carota</i>	Wild Carrot	CG/NG	8	4	7	3	2	LC	LC		
<i>Dianthus armeria</i>	Deptford Pink	AG	8		5	5	3	0	E	EN	PS; S41
<i>Dianthus deltoides</i>	Maiden Pink	AG	8	3	5	2	0	LC	LC		
<i>Eleocharis quinqueflora</i>	Few-flowered Spike-rush	RP/F	9	9	7	2	0	LC	LC		
<i>Epipactis palustris</i>	Marsh Helleborine	RP/F	8	8	7	3	0	LC	N		
<i>Equisetum palustre</i>	Marsh Horsetail	RP/F	7	8	6	3	0	LC	LC		
<i>Erigeron acer</i>	Blue Fleabane	AG	8	5	7	3	0	LC	LC		
<i>Eriophorum latifolium</i>	Broad-leaved Cottongrass	RP/F	9	9	7	2	0	LC	LC		
<i>Erodium cicutarium</i>	Common Stork's-bill	AG	8	4	6	4	0	LC	LC		
<i>Erica cinerea</i>	Bell Heather	AG/H	7	5	2	2	0	LC	N		
<i>Erica tetralix</i>	Cross-leaved Heath	AG/H	8	8	2	1	0	LC	N		
<i>Erophila verna s.l.</i>	Common Whitlow-grass	AG/H	8	3	7	3	0	LC	LC		
<i>Euphrasia arctica subsp. borealis</i>	an eyebright	NG	7	5	6	4	0	LC	D		
<i>Euphrasia confusa</i>	an eyebright	CG	8	5	6	2	0	LC	V		
<i>Euphrasia nemorosa</i>	Common eyebright	CG;NG	7	5	8	4	0	LC	N		
<i>Euphrasia officinalis var. anglica</i>	Eyebright	AG	7	5	5	3	0	E	E		PS; S41
<i>Euphrasia pseudokernerii</i>	an eyebright	CG	7	4	8	3	0	E	V		PS; S41
<i>Euphrasia tetraquetra</i>	an eyebright	CG	8	6	6	3	3	LC	N		
<i>Festuca filiformis</i>	Fine-leaved Sheep's-fescue	AG	8	4	3	2	0	LC	LC		
<i>Filago minima</i>	Small Cudweed	AG	8	3	4	2	0	LC	N		
<i>Filago vulgaris</i>	Common Cudweed	AG	7	4	6	4	0	N	N		

<i>Filipendula ulmaria</i>	Meadowsweet	RP/F	7	8	6	5	0	LC	LC		
<i>Filipendula vulgaris</i>	Dropwort	CG	7	4	8	2	0	LC	LC		
<i>Galium mollugo</i>	Hedge Bedstraw	CG;NG	7	4	7	4	0	LC	LC		
<i>Galium saxatile</i>	Heath Bedstraw	AG	6	6	3	3	0	LC	LC		
<i>Galium uliginosum</i>	Fen Bedstraw	RP/F	7	9	6	4	0	LC	LC		
<i>Galium verum</i>	Lady's Bedstraw	CG; NG	7	4	6	2	0	LC	LC		
<i>Gastridium ventricosum</i>	Nit-grass	CG	9	3	8	2	0	LC	LC	NS	
<i>Gaudinia fragilis</i>	French Oat-grass	NG	8	5	6	6	0	LC	LC	NS	
<i>Genista anglica</i>	Petty Whin	RP/F	8	5	3	2	0	N	V		
<i>Genista tinctoria</i>	Dyer's Greenweed	NG	8	6	7	2	0	LC	V		
<i>Gentianella amarella</i>	Autumn Gentian	CG	8	4	8	2	0	LC	N		
<i>Gentianella anglica</i>	Early Gentian	CG	8	3	8	2	0	LC	LC	NS	PS; S41
<i>Geum rivale</i>	Water Avens	RP/F	6	7	6	4	0	LC	LC		
<i>Gymnadenia conopsea</i>	Chalk Fragrant Orchid	CG	7	6	7	3	0	LC	LC		
<i>Gymnadenia densiflora</i>	Marsh Fragrant Orchid	RP/F						LC	D		
<i>Helianthemum nummularium</i>	Common Rock-rose	CG	7	4	7	2	0	LC	N		
<i>Herminium monorchis</i>	Musk Orchid	CG	8	5	8	2	0	V	E		
<i>Hippocrepis comosa</i>	Horseshoe Vetch	CG	8	3	8	2	0	LC	LC		
<i>Hordeum secalinum</i>	Meadow Barley	NG	8	6	7	6	1	LC	LC		
<i>Hydrocotyle vulgaris</i>	Marsh Pennywort	RP/F	8	8	6	3	1	LC	N		
<i>Hypericum montanum</i>	Pale St John's-wort	CG	7	4	8	2	0	N	LC		
<i>Hypochaeris glabra</i>	Smooth Cat's-ear	AG	8	4	4	2	0	V	V		
<i>Hypochaeris radicata</i>	Common Cat's-ear	AG/H/NG	7	6	6	5	0	LC	LC		
<i>Illecebrum verticillatum</i>	Coral-necklace	AG	8	7	3	2	0	LC	LC		

<i>Inula conyzae</i>	Ploughman's-spikenard	CG	7	3	8	3	0	LC	LC		
<i>Isolepis setacea</i>	Bristle Club-rush	RP/F	7	9	5	3	0	LC	LC		
<i>Jasione montana</i>	Sheep's-bit	AG	7	4	4	2	0	LC	V		
<i>Juncus subnodulosus</i>	Blunt-flowered Rush	RP/F	8	9	8	4	0	LC	LC		
<i>Juniperus communis</i>	Juniper	CG	8	5	5	3	0	LC	N		PS; S41
<i>Knautia arvensis</i>	Field Scabious	CG	7	3	8	4	0	LC	N		
<i>Koeleria macrantha</i>	Crested Hair-grass	CG	8	4	7	2	0	LC	LC		
<i>Lathyrus linifolius</i>	Bitter-vetch	NG; AG; RP/F	6	5	4	3	0	LC	N		
<i>Lathyrus nissolia</i>	Grass Vetchling	NG	8	6	7	6	0	LC	LC		
<i>Lathyrus pratensis</i>	Meadow Vetchling	CG;NG	7	6	6	5	0	LC	LC		
<i>Leontodon hispidus</i>	Rough Hawkbit	CG; NG	8	4	7	3	0	LC	LC		
<i>Leontodon saxatilis</i>	Lesser Hawkbit	NG	8	5	6	3	0	LC	LC		
<i>Lepidium heterophyllum</i>	Smith's Pepperwort	AG	7	4	5	4	0	LC	LC		
<i>Leucanthemum vulgare</i>	Oxeye Daisy	NG	8	4	7	4	0	LC	LC		
<i>Linum catharticum</i>	Fairy Flax	CG	8	5	7	2	0	LC	LC		
<i>Lotus angustissimus</i>	Slender Bird's-foot-trefoil	AG	8	3	4	3	0	LC	LC		
<i>Lotus corniculatus</i>	Common Bird's-foot-trefoil	NG	7	4	6	2	1	LC	LC		
<i>Lotus subbiflorus</i>	Hairy Bird's-foot-trefoil	AG	7	5	6	5	0	LC	LC		
<i>Luzula campestris</i>	Field Wood-rush	NG;AG	7	4	5	2	0	LC	LC		
<i>Lysimachia nummularia</i>	Creeping-Jenny	NG	5	7	5	5	0	LC	LC		
<i>Lysimachia vulgaris</i>	Yellow Loosestrife	RP/F	7	9	7	5	0	LC	LC		
<i>Marrubium vulgare</i>	White Horehound	CG	9	5	7	8	0	LC	LC	NS	
<i>Mentha pulegium</i>	Pennyroyal	AG	8	7	5	7	0	E	CR		PS; S41
<i>Menyanthes trifoliata</i>	Bogbean	RP/F	8	1	4	3	0	LC	LC		

<i>Moenchia erecta</i>	Upright Chickweed	AG	7	8	3	2	0	LC	V		
<i>Myosotis ramosissima</i>	Early Forget-me-not	AG	8	3	6	3	0	LC	LC		
<i>Myosotis secunda</i>	Creeping Forget-me-not	RP/F	6	9	5	4	0	LC	LC		
<i>Nardus stricta</i>	Mat-grass	AG; RP/F	7	7	3	2	0	LC	N		
<i>Neottinea ustulata</i>	Burnt Orchid	CG	8	4	8	2	0	E	E	NS	PS; 41
<i>Oenanthe fistulosa</i>	Tubular Water-dropwort	RP/F	7	9	7	6	0	LC	V		PS; S41
<i>Oenanthe lachenalii</i>	Parsley Water-dropwort	RP/F	8	8	8	5	3	LC	N		
<i>Oenanthe pimpinelloides</i>	Corky-fruited Water-dropwort	NG	7	7	6	3	0	LC	LC		
<i>Onobrychis viciifolia</i>	Sainfoin	CG	7	4	8	3	0	LC	LC		
<i>Ononis repens</i>	Common Restharrow	NG;CG	8	4	6	3	0	LC	LC		
<i>Ononis spinosa</i>	Spiny Restharrow	NG	8	4	8	3	0	LC	N		
<i>Ophioglossum azoricum</i>	Small Adder's-tongue	AG	8	6	5	2	1	LC	LC		
<i>Ophioglossum vulgatum</i>	Adder's-tongue	NG	8	7	7	3	0	LC	LC		
<i>Ophrys apifera</i>	Bee Orchid	CG	8	4	8	3	0	LC	LC		
<i>Ophrys sphegodes</i>	Early Spider-orchid	CG	8	4	9	3	0	LC	LC	NS	
<i>Orchis mascula</i>	Early Purple Orchid	CG	6	5	7	4	0	LC	LC		
<i>Orchis morio</i>	Green-winged Orchid	CG; NG	8	4	7	3	0	N	V		
<i>Origanum vulgare</i>	Marjoram	CG	6	4	7	4	0	LC	LC		
<i>Ornithopus perpusillus</i>	Bird's-foot	AG	7	4	4	3	0	LC	LC		
<i>Orobanche elatior</i>	Knapweed Broomrape	CG	8	3	8	3	0	LC	LC		
<i>Parentucellia viscosa</i>	Yellow Bartsia	AG	7	7	7	5	0	LC	LC		
<i>Pedicularis palustris</i>	Marsh Lousewort	RP/F	8	8	5	2	0	LC	V		
<i>Pedicularis sylvatica</i>	Lousewort	AG; RP/F	8	8	3	2	0	LC	V		
<i>Persicaria bistorta</i>	Common Bistort	RP/F	6	7	6	6	0	LC	LC		

<i>Picris hieracioides</i>	Hawkweed Oxtongue	CG	8	4	8	3	0	lc	lc		
<i>Pilosella officinarum</i>	Mouse-ear-hawkweed	CG; NG; AG	8	4	7	2	0	LC	LC		
<i>Pilosella peleteriana</i>	Shaggy Mouse-ear Hawkweed	CG	8	3	8	2	0	N	LC	NR	
<i>Pimpinella saxifraga</i>	Burnet-saxifrage	CG; NG	7	4	7	3	0	LC	LC		
<i>Plantago coronopus</i>	Buck's-horn Plantain	AG	8	6	6	4	2	LC	LC		
<i>Plantago media</i>	Hoary Plantain	CG	8	4	7	3	0	LC	LC		
<i>Platanthera chlorantha</i>	Greater Butterfly-orchid	CG	5	5	7	4	0	N	LC		
<i>Poa humilis</i>	Spreading Meadow-grass	NG	8	6	6	4	2	LC	LC		
<i>Polygala calcarea</i>	Chalk Milkwort	CG	7	3	8	2	0	LC	LC		
<i>Polygala serpyllifolia</i>	Heath Milkwort	AG; RP/F	8	7	2	2	0	LC	N		
<i>Polygala vulgaris</i>	Common Milkwort	CG; NG	8	5	6	3	0	LC	LC		
<i>Potentilla anglica</i>	Trailing Tormentil	NG	7	5	5	5	0	LC	LC		
<i>Potentilla argentea</i>	Hoary Cinquefoil	AG	8	3	5	2	0	N	N		
<i>Potentilla erecta</i>	Tormentil	NG; RP/F	7	7	3	2	0	LC	N		
<i>Potentilla palustris</i>	Marsh Cinquefoil	RP/F	8	9	5	3	0	LC	LC		
<i>Poterium sanguisorba</i>	Salad Burnet	CG	7	4	8	3	0	LC	LC		
<i>Primula veris</i>	Cowslip	CG; NG	7	4	7	3	0	LC	LC		
<i>Pulicaria dysenterica</i>	Common Fleabane	RP/F	7	7	7	4	0	LC	LC		
<i>Pulicaria vulgaris</i>	Small Fleabane	AG	9	8	6	7	0	CR	E		
<i>Radiola linoides</i>	Allseed	AG	8	7	4	2	1	N	V		
<i>Rhinanthus minor</i>	Yellow-rattle	NG	7	5	6	4	0	LC	LC		
<i>Rhinanthus minor subsp. calcareus</i>	'Chalk Yellow-rattle'	CG						D	D		
<i>Rosa agrestis</i>	Small-leaved Sweet-briar	CG	8	3	8	3	0	N	N		
<i>Rumex acetosa</i>	Common Sorrel	NG	7	5	5	4	0	LC	LC		

<i>Rumex acetosella</i>	Sheep's Sorrel	AG/H	7	5	4	3	0	LC	LC		
<i>Sagina nodosa</i>	Knotted Pearlwort	AG	8	7	7	3	1	LC	V		
<i>Sagina subulata</i>	Heath Pearlwort	AG	8	6	6	4	0	LC	N		
<i>Salix repens</i>	Creeping Willow	RP/F	8	7	6	3	0	LC	N		
<i>Salvia verbenaca</i>	Wild Clary	CG	8	3	7	2	0	LC	N		
<i>Sanguisorba officinalis</i>	Great Burnet	RP/F	7	7	6	5	0	LC	LC		
<i>Saxifraga granulata</i>	Meadow Saxifrage	CG	8	5	6	4	0	LC	LC		
<i>Scabiosa columbaria</i>	Small Scabious	CG	8	3	8	2	0	LC	LC		
<i>Scirpus sylvaticus</i>	Wood Club-rush	RP/F	6	8	6	6	0	LC	LC		
<i>Scleranthus annuus</i>	Annual Knawel	AG	7	4	4	4	0	E	E		PS; S41
<i>Scorzonera humilis</i>	Viper's-grass	RP/F	8	7	5	2	0	V	V		PS; S41
<i>Scutellaria galericulata</i>	Skullcap	RP/F	7	8	6	5	0	LC	LC		
<i>Scutellaria minor</i>	Lesser Skullcap	RP/F	7	9	4	2	0	LC	LC		
<i>Sedum acre</i>	Biting Stonecrop	AG	8	2	7	2	1	LC	LC		
<i>Sedum anglicum</i>	English Stonecrop	AG	8	3	4	2	1	LC	LC		
<i>Serratula tinctoria</i>	Saw-wort	CG; NG; RP/F	7	6	6	2	0	LC	LC		
<i>Sherardia arvensis</i>	Field Madder	AG	7	4	6	4	0	LC	LC		
<i>Silaum silaus</i>	Pepper-saxifrage	ng	8	5	7	4	0	LC	LC		
<i>Silene flos-cuculi</i>	Ragged-Robin	RP/F	7	9	6	4	0	LC	N		
<i>Silene nutans</i>	Nottingham Catchfly	CG	8	3	8	4	0	N	N	NS	
<i>Sison amomum</i>	Stone Parsley	NG	7	4	7	5	0	LC	LC		
<i>Spergularia rubra</i>	Sand Spurrey	AG	8	3	4	2	0	LC	LC		
<i>Spiranthes spiralis</i>	Autumn Lady's-tresses	CG	8	4	6	3	0	N	N		
<i>Stachys officinalis</i>	Betony	CG; NG; AG; RP/F	7	5	5	3	0	LC	LC		

<i>Stellaria alsine</i>	Bog Stitchwort	RP/F	7	8	5	5	0	LC	LC		
<i>Stellaria pallida</i>	Lesser Chickweed	AG	7	4	4	4	0	LC	LC		
<i>Stellaria palustris</i>	Marsh Stitchwort	RP/F	7	8	6	4	0	V	V		
<i>Succisa pratensis</i>	Devil's-bit Scabious	CG; NG; AG; RP/F	7	7	5	2	0	LC	N		
<i>Teesdalia nudicaulis</i>	Shepherd's Cress	AG	8	3	2	2	0	N	N		
<i>Tephrosieris integrifolia</i>	Field Fleawort	CG	7	3	8	3	0	E	V		PS; S41
<i>Thalictrum flavum</i>	Common Meadow-rue	RP/F	7	8	7	5	0	LC	LC		
<i>Thelypteris palustris</i>	Marsh Fern	RP/F	6	8	7	5	0	LC	LC		
<i>Thesium humifusum</i>	Bastard-toadflax	CG	8	4	8	3	0	LC	LC	NS	
<i>Thymus polytrichus</i>	Wild Thyme	CG	8	4	6	2	0	LC	LC		
<i>Thymus pulegioides</i>	Large Thyme	CG	8	4	8	2	0	LC	LC		
<i>Trifolium arvense</i>	Hare's-foot Clover	AG	9	3	5	2	1	LC	LC		
<i>Trifolium fragiferum</i>	Strawberry Clover	NG	8	7	7	6	2	LC	V		
<i>Trifolium glomeratum</i>	Clustered Clover	AG	9	3	5	2	0	LC	LC		
<i>Trifolium medium</i>	Zigzag Clover	NG; RP/F	7	4	6	4	0	LC	LC		
<i>Trifolium micranthum</i>	Slender Trefoil	AG	8	5	5	5	0	LC	LC		
<i>Trifolium ornithopodioides</i>	Bird's-foot Clover	AG	9	6	5	3	0	LC	LC		
<i>Trifolium pratense</i>	Red Clover	NG	7	5	7	5	0	LC	LC		
<i>Trifolium scabrum</i>	Rough Clover	AG	9	3	7	2	1	LC	LC		
<i>Trifolium striatum</i>	Knotted Clover	AG	8	3	5	2	0	LC	LC		
<i>Trifolium subterraneum</i>	Subterranean Clover	AG	8	3	4	2	0	LC	LC		
<i>Trifolium suffocatum</i>	Suffocated Clover	AG	8	4	4	2	0	LC	LC		
<i>Triglochin palustre</i>	Marsh Arrowgrass	RP/F	8	9	6	2	2	LC	N		
<i>Ulex gallii</i>	Western Gorse	AG/H	7	6	3	2	0	LC	LC		

<i>Ulex minor</i>	Dwarf Gorse	AG	8	6	1	2	0	LC	LC		
<i>Vaccinium myrtillus</i>	Bilberry	AG	6	6	2	2	0	LC	LC		
<i>Valeriana dioica</i>	Marsh Valerian	RP/F	8	8	6	3	0	LC	N		
<i>Valerianella eriocarpa</i>	Hairy-fruited Cornsalad	CG	8	3	8	3	0	LC	LC		
<i>Veronica chamaedrys</i>	Germander Speedwell	CG	6	5	6	5	0	LC	LC		
<i>Veronica officinalis</i>	Heath Speedwell	AG	6	5	4	4	0	LC	N		
<i>Veronica scutellata</i>	Marsh Speedwell	RP/F	8	9	5	3	0	LC	N		
<i>Vicia cracca</i>	Tufted Vetch	NG	7	7	7	5	0	LC	LC		
<i>Vicia lathyroides</i>	Spring Vetch	AG	8	3	5	3	0	LC	LC		
<i>Viola canina</i>	Heath Dog-violet	AG; RP/F	8	4	5	2	0	N	V		
<i>Viola hirta</i>	Hairy Violet	CG	7	4	8	2	0	LC	LC		
<i>Viola lactea</i>	Pale Dog-violet	AG	7	6	2	2	0	V	E		PS; S41
<i>Viola palustris</i>	Marsh Violet	RP/F	7	9	3	2	0	LC	LC		
<i>Viola riviniana</i>	Common Dog-violet	AG	6	5	5	4	0	LC	LC		